

Crown Findings

Crown Findings Co., Inc. | 44 West 47th St. | New York, NY 10036-2826
Phone: 212-764-6470 | Toll Free: 800-782-2012 | Fax: 212-764-6493

Easy Ordering

Orders may be placed by phone during regular business hours:
Monday thru Friday 9:00 a.m. to 5:00 p.m.
212-764-6470 800-782-2012 (toll free)

Orders may also be placed on our 24 hour fax lines:
212-764-6493 800-222-6493 (toll free)

You can also visit us on the web:

www.crownfindings.com
orders@crownfindings.com
You may register on our web page.

Please remember to include the following when placing orders:

- Company name
- Name of the person ordering
- Current Location
- Area code and phone number
- Order Details/Description
  - Quantity (pieces or length)
  - Crown Findings part number
  - Stone size (carat or mm)
  - Metal (14kt - Y, W or P, 18kt, Plat, etc.)
  - Verbal description (if necessary)
  - Shipping Instructions (UPS, FedEx, etc.)

Following this simple format will help us expedite the selection and shipping of your requirements.

Returns

Returns of defective merchandise will be accepted within 30 days of invoice date if accompanied with a copy of the invoice (or, invoice number and date). Special order merchandise, cut chain, beads, rondelles, wire, solder and used or damaged merchandise are not returnable.

Shipments

Orders received by 2:00 PM are usually shipped the same day or within 24 hours. Items not in stock (or in quantity ordered) will be back ordered. We will contact you upon future receipt and ship immediately if the merchandise is still required.

Minimum for shipment is $25.00.

Shipping charges (which include postage, insurance and handling) are additional.

We reserve the right to withhold shipment on any past due accounts.

Packages can be prepaid by credit card.

Terms

Our terms are net 30 days.

New accounts with a JBT rating of 1 or 2 can receive an initial order up to $500 in value on an open account basis. Subsequent orders will be pending the receipt and acceptance of a formal credit application.

Credit Cards

We accept MasterCard, Visa and American Express

Please provide us the name as it appears on the card & the billing address.

Discounts

Quantity discounts, per piece, of a single given item or size are as follows:

6 pieces	5%
72 pieces	10%
250 pieces	15%

Certain items excluded, i.e. Mill Products, Solders and certain Castings & Discs

Affiliations

Professional Affiliations:
- M.J.S.A.
- A.J.A. - Armenian Jlrs. Assoc.
- J.B.T.
- Consolidated Jlrs. of America

* Not Responsible for Typographical Errors *

Crown Findings

Crown Findings thanks all of our loyal customers for their continued support and extends a warm welcome to our newest ones. Since 1983, Crown Findings has been providing the jewelry industry with competitive pricing, quality items and unmatched service and integrity.

In our new location, the sleek, IGT Building at 44 W. 47th Street, GF12, New York City, we continue to expand our extensive product line reflecting the latest market trends to our customers.

We are pleased to present our latest catalog, with over 18,000 items. If you do not find what you are looking for in this catalog, need help with your order, or just have a question, feel free to contact our helpful staff for further assistance.

Our customer service is available to answer any of your questions Monday through Friday from 9am-5pm EST. You may also visit us anytime on the web at www.crownfindings.com to view our items. We know how vital every sale is to our customers and that's why Crown's experienced and professional staff takes personal pride in providing you with excellent customer service.

Sincerely,

Berc Gokberk
President
Crown Findings Co., Inc.

TABLE OF CONTENTS

DISCS

Round Discs-Oval 3
Profiles 4
Blanks, Heart 4

SETTINGS

3 & 4 Prong Round.....5
6 Prong Round & Oval Settings.....6
Pear Shape.....6-7
Marquise Shape.....7
Emerald Cut Shape.....8
Square Shape.....8
Heart Shape.....8
Triangle Shape 8
Baguette 9
Straight & Tapered
Illusion Settings & Illusion Tops.....9
Illusion Plates 9
Clusters.....9-10
Strips 10
Round Bezels 10
All Other Bezel Shapes.....11
Watch Battery List 11

EARRINGS

Earring Nuts & Posts Friction..... 12
Earring Nuts Threaded..... 12
Earring Posts Threaded..... 12
Pressure Backs 12
Pearl Earrings..... 13
Ball Earrings 13
Bezel Earrings..... 13
3, 4, 6, 8 Prong Round.....13-14
Cluster Round 14
Channel Round..... 14
Oval..... 14
Pear Shape..... 14
Channel Pear Shape 14
Channel Emerald Cut 14
Emerald Cut Shape..... 14
Square Shape..... 14
Square Threaded Post 14
Triangle Shape 14
Heart Shape..... 15
Marquise Shape 15
Wires..... 15
Kidney, Top & Shepherd
Lever Backs.....15-16

EARRINGS (Cont.)

Cast Pads for Ear Clips 16
Clip Backs 16
Omega Clips..... 16-17
Cushions for Omegas 17
Earring Jackets..... 18
Cast Earrings 19

PENDANTS

Bails..... 20-21
Drops 21
Pearl, Pendant
4 & 6 Prong Pendants 22
Clusters..... 22
Bezels Pendants 22
Round Channel..... 22
Oval Channel..... 22
Oval Pendants 22
Marquise Pendants..... 23
Fancy Oval Pendants..... 23
Pear Shape Pendants 23
Emerald Cut Pendants..... 23
Cushion Pendants..... 23
Square Pendants 23
Heart Shape Pendants 23-24
Cast Fancy Pendants 25
Cast Slides 25-26
Cast Necklaces..... 27
Boy & Girl Charms..... 27
Charms..... 27-28
Puffed Hearts 28
Heart Shaped Lockets 28-30
Oval Shaped Lockets 30-31
Round Shaped Lockets 32
Genuine Agate & Cameo Lockets....32

CLASPS

Fishhook Pearl Clasps 33
Pearl Clasps..... 33-34
Clasps with Cultured Pearls..... 34-35
Bayonet Clasps.....35
S/S Clasps Single St. 35
Mystery Clasps.....36
Silver Toggle Clasps 36
Fishhook 36
Bead Tips.....36
Bead Clasps.....36
Dividers 37
Enhancers & Pearl Shorteners.... 37-38

CLASPS (Cont.)

Tubular Box Locks 38
Snaps..... 38-39
Tennis Bracelet Snaps..... 39-40
Fig 8.....40
Lobster Locks.....41
Round ID Clasps.....41
End Caps 42
Spring Rings 42
Fancy Spring Rings..... 42-43
Chain Tags.....43
Push Lock 43
Safety Chains 43
Split & Jump Rings.....43

CHAINS

Chains.....44
Bracelets.....44
Anklets.....44

BEADS & PINS

Two Hole Beads.....46
Straight & Twist Corrugated.....46
Shiny Rondelles.....46
Flat Fancy Beads 46
Joints, Pins, Catches 46
Safety Pins 46
Double Pins.....46
Double Catches 46
Head Pins.....46
Tennis Mountings.....47

SOLDER

Solder 48

RELIGIOUS ITEMS

Religious Medals.....49-50
Jewish Religious Items.....51-52
Crosses 52-55

RINGS

Half Shanks.....56
Shanks..... 56-57
Strip Settings/Shanks 57
Adjustments for Rings.....58
Cast & Stamped Die Struck Engagement Rings 58-59
Seamless Die Struck Wedding Bands. . .60
Wht. Gold Wedding Bands for Stones . 60
Half Channel Rings 60-62
All Around Channel Rings 62

RINGS (Cont.)

Cast All Around Weddings Bands...63
Cast Part Way Wedding Bands... 64-65
Cast Round.....66
Cast 3 & 5 Stone 66-67
Square Rings.....67
Square 3 & 5 Stone 68
Cast Oval Rings..... 68-69
Cast Emerald Rings 69-70
Cast Heart Rings 70
Cast Claddagh Rings 70
Cast Signet Rings.....71
Cast Men's Rings 71
Engraved Antique finish Ladies Rings... 72

LETTERS & NUMBERS

Letters & Numbers..... 73

MENS

Cuff Links 74
Clutch Backs.....74
Tie Tacs.....74
Key Rings.....74

COIN FRAMES

Coin Mountings 76

MILL PRODUCTS

Mill Products 77-78

CHARTS

Weight Conversion.....17
Karat Weight Conversion.....22
Birthstones.....24
The Credo.....32
Karat Weight Conversion.....40
Approx. MM Sizes
for Various Size Diamonds.....75
Finess of Karat Gold.....75

NOTES

Notes.....

14KY GOLD STAMPINGS-ROUND DISCS



1 3/8"
RDr-27 5.96 dwt
RDr-40 8.10 dwt



1 1/4"
RDr-27 4.96 dwt
RDr-40 6.8 dwt



1 1/8"
RDr-27 3.8 dwt
RDr-40 5.3 dwt



1"
RDr-27 2.93 dwt
RDr-40 4.35 dwt



1"
RD-27 2.90 dwt
RD-40 4.24 dwt



7/8"
RDr-27 2.3 dwt
RDr-40 3.35 dwt



7/8"
RD-27 2.30 dwt
RD-40 3.16 dwt



3/4"
RDr-27 1.71 dwt
RDr-40 2.5 dwt



3/4"
RD-27 1.80 dwt
RD-40 2.50 dwt



5/8"
RDr-27 1.2 dwt
RDr-40 1.7 dwt



1/2"
RDr-27 .80 dwt
RDr-40 1.20 dwt



3/8"
RDr-27 .45 dwt

OVAL BLANKS



15/16" x 3/4"
OD-27 2.1 dwt
OD-40 3.1 dwt



3/4" x 5/8"
OD-27 1.5 dwt
OD-40 2.1 dwt



3/4" x 1/2"
OD-27 1.1 dwt
OD-40 1.7 dwt



5/8" x 7/16"
OD-27 .6 dwt
OD-40 .9 dwt

Plain Oval Discs available in stock in 14KY. Engine turned discs by special order. All merchandise is shown actual size

PROFILES



1/2"
CH-71/PL Girl
.027 - .82 dwt
.040 - 1.22 dwt



1/2"
CH-71/PL Boy
.027 - .89 dwt
.040 - 1.30 dwt



3/4"
CH-73/PL Girl
.027 - 2.20 dwt
.040 - 3.11 dwt



3/4"
CH-73/ PL Boy
.027 - 2.23 dwt
.040 - 3.07 dwt



1/2"
CH-71/Girl
.027 - .82 dwt
.040 - 1.22 dwt



1/2"
CH-71/Boy
.027 - .89 dwt
.040 - 1.30 dwt



3/4"
CH-73/Girl
.027 - 2.02 dwt
.040 - 2.8 dwt



3/4"
CH-73/Boy
.027 - 2.23 dwt
.040 - 3.07 dwt



CH-80 Girl



CH-80 Boy



CH-85 Girl



CH-85 Boy



CH-70 LG



CH-70 SM

All of above items available in stock in 14KY. CH-70, 80, 85, are .012 thick; available .030 by special order.

HEART BLANKS



1 1/4"
HD-27 4.5 dwt
HD-40 6.4 dwt



15/16"
HD-27 2.64 dwt
HD-40 3.4 dwt



3/4"
HD-27 1.9 dwt
HD-40 2.7 dwt



5/8"
HD-27 1.4 dwt
HD-40 2.0 dwt



1/2"
HD-27 .70 dwt
HD-40 1.0 dwt



3/8"
HD-27 .40 dwt
HD-40 .60 dwt

Gold, like no other metal, has a fascinating history and a special place in the world. For thousands of years it has been used as an ornament of kings, a currency and standard for global currencies, and more recently, in a wide range of electronic devices and medical applications.

3-PRONG ROUND



S-5 Die-struck
3 prong standard setting
14ky & w .03 ct to .25 ct



S-3 Cast
3 prong single base setting
14ky & w .03 ct to 2.25 ct



S-8 Cast
3 prong low base setting
14ky & w .02 ct to .25 ct



S-9 Cast
3 prong high base setting
14ky & w .02 ct to .25 ct



S-6 Cast
3 prong wire setting
14ky & w .02 ct to .15 ct



S-7 Cast
3 prong wire standard setting
14ky & w .01 ct to 1.50 ct



S-7B Cast
3 prong standard
wire setting w/bar
14ky & w 2.00 ct to 3.00 ct
18ky & w .10 ct to 3.00 ct
Plat. .10 ct to 2.00 ct



S-10 Cast
3 prong wire tapered setting
14ky & w .03 ct to 1.25 ct



NEW
S-4 Cast
3 prong Martini setting
14kw .25 ct to 3.00 ct

4 PRONG ROUND



S-13 Die-struck
4 prong high base setting
14ky & w .02 ct to .17 ct



S-34 Die-struck
4 prong standard setting
14ky & w .005 ct to 2.00 ct
Plat. .01 ct. to 1.00 ct
S/S .01 ct. to 2.00 ct



S-34C Die-struck
4 prong standard
closed back setting
14ky & w .05 ct to 1.00 ct
18 ky .03 ct to 1.00 ct

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed



S-11 Die-struck
4 prong low base setting
14ky & w .03 ct. to 2.00 ct



S-31 Cast
4 prong low base setting
14ky & w 2mm to 8mm



S-28 Cast
4 prong wire tapered setting
14ky & w .03 ct to 3.00 ct



S-27 Cast
4 prong wire standard
setting
14ky & w .01 ct to 5.00 ct
13mm to 16mm
18ky & w, Plat.
.02 ct to .07 ct



S-27 HVY Cast
4 prong hvy wire setting
14ky & w .01 ct to 5.00 ct



S-29 Cast
4 prong wire setting with
bar 18ky & w, Plat.
.10 ct to 4.00 ct



S-24 Cast
4 prong wire heavy setting
14ky & w .25 ct to 4.00 ct
Plat. .25 ct ot 2.00 ct



S-20 Cast
4 prong high heavy setting
14ky & w .12 ct to 4.00 ct



S-30 Cast
4 prong high setting
14ky & w .40 ct to 4.50 ct
18ky & w, Plat.
.50 ct to 3.00 ct



S-25 Cast
4 prong flat wire setting
14ky & w .03 ct to 2.00 ct



S-35 Cast
Antique fishtail setting
14ky & w .25 ct to 2.00 ct



S-17 Die-struck
4 prong standard V setting
14ky .25 ct to 1.00 ct
14kw .25 ct to 3.00 ct
Plat. - cast .25 ct to 3.00 ct



S-14 Die-struck
4 prong solitaire setting
14ky .12 ct to 3.50 ct
14kw .12 ct to 6.00 ct
18kw .12 ct to 2.00 ct
Plat. .25 ct to 6.00 ct



S-15 Die-struck
4 prong solitaire heavy
setting 14kw .18 ct to 1.00 ct



S-16 Die-struck
4 prong solitaire light setting
14kw .10 ct to 1.00 ct



S-21 Die-struck
4 prong high setting w/peg
14kw .12 ct to 3.00 ct
18kw .50 ct to 5.00 ct
Plat. .25 ct to 5.00 ct



S-12 Die-struck
4 prong heavy setting w/peg
14kw .25 ct to 3.00 ct



S-32 Die-struck
4 prong low standard
setting w/peg
14kw .10 ct to 2.00 ct



S-22 Melee Die-struck
4 prong setting w/peg
14ky & w .01 ct to .15 ct



S-22 Die-struck
4 prong high based
setting w/peg
14kw .12 ct to 1.00 ct
14ky 0.12ct



S-23 Die-struck
4 prong light & low
setting w/peg
14ky .12 ct to 2.50 ct
14kw .12 ct to 5.00 ct
18kw .75 ct to 2.00 ct
Plat. .38 ct to 2.00 ct



NEW
S-1822 Cast
Double prong round
cut center setting
14kw .33 ct to 3.50 ct



S-18 Cast
4 prong tapered setting
w/peg
14ky & w .25 ct to 3.50 ct
18ky & w .62 ct to 3.50 ct
Plat. .62 ct. to 3.50 ct



NEW
S-26 Cast
4 prong tapered setting
with peg
14kw 0.50 ct to 2.00 ct



S-19 Cast
4 prong tapered ctr.
head w/pads
14ky & w .25 ct to 5.00 ct
14.5 mm to 17.5 mm
18ky & w .75 ct to 4.00 ct
Plt. .75 ct to 5.00 ct, 14.5mm



NEW
S-33 Cast
4 prong tulip setting
14kw 5mm to 12mm

6 PRONG ROUND



S-45 Die-struck
6 prong low base setting
14ky & w .02 to 4.00 ct



S-44 Die-struck
6 prong high base setting
14ky & w .06 ct to 3.00 ct



S-60 Cast
6 prong standard wire setting
14ky & w .05 ct to 4.50 ct



S-62 Cast
6 prong setting w/peg
14kw .75ct, 1ct, 1.5ct and 2ct.



S-63 Cast
6 prong ctr. head w/ pads
14ky & w .25 ct to 5.00 ct
~ 15 MM



S-57 Die-struck
6 prong closed back setting
14ky & w .05 ct to 1.00 ct



S-52C Die-struck
6 prong buttercup closed back
14ky & w .02 ct to 1.00 ct



S-68 Die-struck
6 prong pearl setting
14ky & w 3mm to 10mm



S-40/DE Cast
6 prong solitaire cast setting
14kw, 18kw & Plat.
.25 ct to 4.00 ct



S-40 Die-struck
6 prong solitaire setting
14ky .12 ct to 3.50 ct
14kw .12 ct to 6.00 ct
18kw .18 ct to 2.00 ct
Plat. .12 ct to 6.00 ct



S-41 Die-struck
6 prong solitaire light setting
14kw .10 ct to 1.00 ct



S-46 Die-struck
6 prong heavy setting
Plat. .75 ct to 2.00 ct



S-42 Die-struck
6 prong claw solitaire setting
14kw .12 ct to 3.00 ct

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed



S-43 Die-struck
6 prong standard low setting
14kw .10 ct to 2.00 ct



S-47 Die-struck
6 prong high base setting w/peg
14kw & Plat., .12 ct to 4.00 ct
18kw .50 ct to 3.00 ct



S-51 Die-struck
6 prong heavy setting w/peg
14kw .12 ct. to 3.00 ct
Plat. .75 ct to 3.00 ct



S-48 Die-struck
6 prong medium based setting w/peg
14kw .12 ct to 1.00 ct



S-49 Die-struck
6 prong light low base setting w/peg
14ky .05 ct to 2.00 ct
14kw .05 ct to 5.00 ct
18kw .75 ct to 4.00 ct
Plat. .38 ct to 4.00 ct



S-53 Cast
6 prong tulip setting
14kw 5mm to 8mm

4 PRONG OVAL



S-113 Cast
4 prong oval single base seting
14ky & w 5 x 3 to 25 x 17



S-166 Cast
4 prong oval lite setting
14ky & w 6 x 4 to 14 x 10



S-112 Cast
4 prong oval standard setting
14ky & w 3.5 x 2.75 to 35 x 22
18ky 5 x 3.75 to 12 x 9.5
Plat. 6 x 4.25 to 10 x 7.75



S-184 Cast
4 prong oval tapered setting
14ky & w 5 x 3 to 20 x15



S-105 Cast
4 prong oval heavy setting
14ky & w 7 x 5 to 29 x 21



S-109 Cast
4 prong tapered oval ctr. head with pads
14ky & w .25 ct to 5-6.00 ct
18ky & w .75 ct to 3.00 ct
Plat. .75 ct to 3.00 ct



S-122 Cast
4 prong oval tapered setting w/peg
14ky & w .25 ct to 2.25 ct



S-123 Cast
4 prong oval tapered oval wire setting
14kw 6.00-12.00mm



S-183 Cast
4 prong oval setting
14ky & w 2.5 x 2 to 12 x10
Plat. 4.5 x 3.5 to 12 x 10



S-111 Die-struck
4 prong oval tapered setting w/peg
14kw .25 ct to 5.00 ct
18ky & w 0.25 to 2ct
Plat. 1.00 - 5.00ct

6 PRONG OVAL



S-110 Cast
6 prong oval setting
14ky & w 4 x 3 to 22 x 16
Note: Sizes from 4 x 3 to 6.5 x 4.5 are 4 prong



S-107 Cast
6 prong oval tapered ctr. head w/pads
14ky & w .25 ct to 5-6.00 ct



S-121 Die-struck
6 prong oval tapered setting w/peg
14kw .25 ct to 5.00 ct

PEAR



S-103 Cast
V-end pear single base setting
14ky & w
2.75 x 2 to 15 x 10.25



S-104 Cast
4 prong pear single base setting
14ky & w
4.5 x 3 to 11.75 x 8



S-99 Cast
V-end pear standard setting
14ky & w 3.5 x 2 to 35 x 25
18ky & w 5 x 3 to 10 x 6
Plat. 5 x 3 to 10 x 6



S-193
Cast pear shape setting
s14kw 6.00ct

PEAR SHAPE, CONT'D



S-102 Cast
V-end pear shape setting
14ky & w 3 x 2 to 15 x 10



S-100 Cast
4 prong pear shape
wire setting
14ky & w
5 x 3 to 22 x 14



S-101 Cast
5 prong pear shape setting
14ky & w
3 x 2 to 11 x 7.75



S-182 Cast
5 prong pear shape
tapered setting
14ky & w
4 x 2.5 to 21 x 14



S-95 Cast
V-end pear shape setting
with pads
14ky & w 4 x 2.5 to 14 x 9
Note: 4 x 2.5 – 6.5 x 4
have 3 prongs.



S-96 Cast
V-end pear shape
center head
14ky & w 3 x 2 to 12 x 8



S-94 Cast
V-end pear shape
heavy setting
14ky & w
6 x 4.5 to 26 x 18



S-98 Cast
V-end pear shape
setting w/peg
14ky & w 5 x 3.5 to 12 x 8



S-97 Cast
V-end pear shape tapered
ctr. head w/pads
14ky & w .20 to 6.00 ct
18 ky & w .50 to 3.00 ct
Plat. .50 to 4.00 ct



S-90 Die-struck
6 prong pear shape
solitaire setting
14kw .10 ct to 5.00 ct
Plat. .50 ct to 4.00 ct



S-93 Die-struck
6 prong pear shape
setting w/peg
14ky 1.00 ct to 4.00 ct
14kw .10 ct to 5.00 ct
18kw .50 ct to 2.00 ct



S-191 Die-struck
V-end pear shape setting
14kw .25 ct to 2.00 ct



S-92 Die-struck
V-end pear shape setting w/peg
14kw .25 ct to 3.00 ct



S-91P Die-struck
V-end pear shape setting w/peg
14kw .25 ct to 2.00 ct

MARQUISE SHAPE



S-89 Cast
2 prong marquise
single base setting
14ky & w 3 x 1.75 to 9.5 x 5.25



S-88 Cast
4 prong marquise single base setting
14ky & w 4.5 x 2.25 to 18.25 x 8.75



S-87 Cast
V-end marquise heavy
single base setting
14ky & w 2.5 x 1.75 to 13.25 x 7.25
18 ky 3 x 2 to 5 x 2.75
Plat. 3 x 2 to 5 x 2.75



S-78 Cast
2 prong marquise wire setting
14ky & w 3 x 1.75 to 9 x 4



S-80 Cast
V-end marquise standard
wire setting
14ky & w 3.5 x 1.5 to 16.5 x 8
18 ky 4 x 2 to 6 x 3
Plat. 4 x 2 to 8 x 3.5



S-82 Cast
V-end marquise standard
flat sided setting
14ky & w 3.25 x 1.75 to 9.5 x 4.5



S-84 Cast
4 prong marquise standard
wire setting
14ky & w 4 x 2 to 14 x 7



S-86 Cast
6 prong marquise wire setting
14ky & w 4 x 2 to 15 x 7.25



S-180 Cast
6 prong marquise tapered
setting
14ky & w 4 x 2 to 21 x 10.5



S-74 Cast
V-end 6 prong marquise
setting w/pads
14ky & w 5 x 3 to 16 x 8
Note: 5 x 3 to 7 x 4
have 4 prongs.



S-70 Die-struck
6 prong marquise
solitaire setting
14kw .10 ct to 5.00 ct
18kw .75 ct to 2.00 ct
Plat. .50 ct to 2.00 ct



S-73 Die-struck
6 prong marquise
setting w/peg
14kw .10 ct to 5.00 ct
18kw .50 ct to 2.00 ct



S-69 Die-struck
V-end marquise setting
14kw .25 ct to 3.00 ct



S-79 Die-struck
V-end marquise setting w/peg
14kw .25ct to 3.00 ct



S-71P Die-struck
V-end marquise setting w/peg
14kw .25 ct to 2.00 ct



S-76 Cast
V-end tapered marquise
ctr head w/pad
14ky & w .25 ct to 6.00 ct
18 ky & w .50 ct to 3.00 ct
Plat. .50 ct to 4.00 ct



S-75 Cast
V-end marquise setting
w/peg
14ky & w 5 x 3 to 13 x 6



S-77 Cast
V-end marquise setting w/peg
14ky & w 6.5 x 3 to 15.5 x 8

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed

EMERALD CUT SHAPE



S-162 Cast
4 prong emerald cut
single base setting
14ky & w
6 x 4.5 to 12 x 8.5



S-185 Cast
4 prong emerald cut
lite wire setting
14ky & w 6 x 4.5 to 14 x 10



S-115 Cast
4 prong emerald cut
standard wire setting
14ky & w
3 x 2.25 to 30 x 20
18ky 6 x 4.5 to 10.5 x 8
Plat. 6 x 4.5 to 10.5 x 8



S-186 Cast
4 prong emerald cut
tapered wire setting
14ky & w
5.25 x 4 to 12.5 x 10.5



S-117 Cast
4 prong emerald cut setting
14ky & w 4 x 3 to 14 x 10



S-119 Cast
4 prong emerald
cut heavy setting
14ky & w 4.5 x 3 to 11 x 9
18ky & Plat. 6 x 4.5 to
11 x 9



S-116 Cast
4 prong emerald cut
tapered ctr. head
14ky & w .15 ct to 6.00 ct
18ky & w .33 ct to 5.00 ct
Plat. .33 ct to 5.00 ct



S-114 Cast
4 prong emerald cut
setting w/peg
14ky & w 6 x 4 to 10 x 8



S-1162 Cast
Emerald cut setting
14kw 7x5 to 14x10.5



S-120 Cast
4 prong emerald cut
heavy setting
14ky & w
10 x 9 to 29 x 22mm

SQUARE SHAPE



S-163 Cast
4 prong square single
base setting
14ky & w 3 x 3 to 10 x 10

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed



S-157 Cast
4 prong square wire setting
14ky & w 2 x 2 to 10.75 x 10.75
18ky & w 4 x 4 to 8 x 8
Plat. 4 x 4 to 8 x 8



S-156 Cast
V-end square setting w/airline
14ky & w 1.25 x 1.25 to 7 x 7



S-156B Cast
V-end square setting with bar
18ky & w 3 x 3 to 7 x 7
Plat. 3 x 3 to 7 x 7



S-160 Cast
4 prong square setting
14ky & w 3 x 3 to 10 x 10,
18ky & Plat. 5.25 x 5.25 to 8 x 8



S-161 Cast
4 prong square heavy
tapered setting
14ky & w 2.5 x 2.5 to 7.5 x 7.5



S-159 Cast
V-end heavy square setting
14ky & w 4 x 4 to 9 x 9
Plat. 5 x 5 to 7 x 7



S-1572 Cast
Square setting
14kw 4.8 x 4.8 to 10 x 10



S-164MP Cast
V-end square setting w/peg
14kw,18kw & Plat.
4 x 4 to 7 x 7



S-165 Die-struck
V-end square setting w/peg
14kw 2.5 x 2.5 to 8 x 8



S-158 Cast
V-end square setting w/peg
14ky & w 2 x 2 to 10 x 10
18ky & w, 3.5 x 3.5 to 9 x 9
Plat. 3.5 x 3.5 to 10 x 10



S-158H Cast
V-end square heavy setting
w/peg 14kw, 3 x 3 to 9 x 9



S-155 Cast
V-end square setting w/peg
14ky & w, 18ky & Plat.,
4 x 3 to 8 x 6



S-1567 Cast
Square cluster setting
14kw 3.5 mm to 7 mm



S-1667 Cast
14kw - 3.5 x 3.5, 12 - .015ct
4 x 4, 16 - .015ct
4.5 x 4.5, 16 - .015ct
5 x 5, 16 - .015ct
5.5 x 5.5, 16 - .015ct
6 x 6, 20 - .015ct
7 x 7, 20 - .015ct
7.5 x 7.5, 20 - .015ct



S-167 Cast
4 prong square setting
w/peg & flat prongs
14ky & w, 18ky & w
3 x 3 to 10 x 10
Plat. 4 x 4 to 10 x 10



S-167H Cast
4 prong square heavy
setting w/peg
14kw 4 x 4 to 10 x 10



S-170 Cast
Double prong cushion
cut center setting
14kw, 18 w & Plat.
4.5 mm to 7.5 mm

HEART SHAPE



S-141 Cast
V-end heart shape
wire setting
14ky & w 3 x 3 to 16 x 16
18ky & w 3 x 3 to 6 x 6
Plat. 3 x 3 to 6 x 6



S-143 Cast
4 prong heart shape
wire setting
14ky & w 3 x 3 to 9 x 9



S-142 Cast
V-end heart shape
ctr w/pads
14ky & w 5 x 5 to 11 x 9



S-145 Cast
V-end heart shape
setting w/peg
14ky & w 4 x 4 to 9 x 9



S-144 Cast
V-end heart shape
tapered ctr head w/pads
14ky & w .25 to 6.00 ct
18ky & w 1.00 to 2.50 ct
Plat. 1.00 ct to 2.50 ct

TRIANGLE SHAPE



S-153 Cast
V-end triangle
single base setting
14ky & w
3 x 3 to 9.5 x 9.5



S-151 Cast
V-end triangle setting
w/airline 14ky & w
3 x 3 x 3 to 10 x 10 x10
18ky 4 x 4 x 4 to 7.25 x 7.25
Plat. 4 x 4 x 4 to 7.25 x 7.25



S-154 Cast
6 prong triangle setting
14ky & w 3 x 3 x 3 to
12 x 12 x 12



S-152 Cast
V-end triangle setting
w/peg
14ky & w 3mm to 10mm
Plat. 4mm to 9mm



S-150 Cast
v-end trillion setting
14ky & w
3 x 3 x 3 to 10 x 10 x 10

STRAIGHT BAGUETTE



S-124 Cast
Straight baguette
standard set
14ky & w
1.75 x 1.5 to 8.75 x 3.75
18ky 2.25 x 1.75 to 5.25 x 3
Plat. 2.25 x 1.75 to 5.25 x 3



S-126 Cast
2 prong straight
baguette setting
14ky & w
2.25 x 1.5 to 5.75 x 2.5



S-130 Cast
4 prong straight
baguette setting
14ky & w
2.25 x 1.75 to 5 x 3.75

TAPERED BAGUETTE



S-125 Cast
Tapered baguette
standard setting
14ky & w
2 x 1.75 to 8.25 x 3.75
18ky 3 x 1.75 to 6 x 3
Plat. 3 x 1.75 to 5 x 2.75



S-127 Cast
2 prong tapered
baguette set
14ky & w 2.5 x 1.25 to 6 x 2



S-131 Cast
3 prong tapered
baguette setting
14ky & w
2.25 x 1.75 to 8.5 x 3.75

ILLUSION SETTINGS



S-36 Die-struck
4 prong illusion setting
14kw .06 ct to 1.00 ct



S-38 Die-struck
4 prong illusion
setting w/peg
14kw .005 ct to .18 -.20 ct



S-39 Die-struck
Diamond cut faceted
illusion setting w/peg
14kw .02 ct to .18-.20 ct



S-65 Die-struck
6 prong illusion setting
14kw .005 ct to .18 -.20 ct

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed

ILLUSION TOPS



IS-10 Die-struck
Illusion top round setting
14ky & w .005 ct to .10 ct



IS-15 Die-struck
Illusion top round setting
14ky .01 ct to .05 ct ,14kw .01 to 1.00 ct



IS-20 Die-struck
Illusion top round setting
14kw .06 ct to 1.00 ct

ILLUSION PLATES



SP-10 Die-struck
Illusion square setting
14kw 4.5mm to 6mm



SP-11 Die-struck
Illusion square setting
14kw 7mm to 9mm



SP-12 Die-struck
square plate
14kw 3mm to 10mm



DP-50 Die-struck
non pierced domed plate
14kw 4mm to 13mm

ROUND CLUSTERS



CS-11 Cast
7 stone cluster
14ky & w metal mold
7 x .02 ct 7 x .15 ct
7 x .03 ct 7 x .30 ct
7 x .07 ct



CS-40 Cast
7 stone cluster
14ky & w
.33 ct tw to 2.00 ct tw



CS-41 Cast
Round center cluster
14ky & w
.41 ct tw to 2.36 ct tw



CS-2725 to 27200 Cast
Round cluster light
weight 14 kw
CS-2725, .25 - 14 - .005 ct
CS-2750, .50 - 16 - .005 ct
CS-2775, .75 - 20 - .005 ct
CS-27100, 1.00 - 22 - .005 ct
CS-27150, 1.50 - 24 - .005 ct
CS-27200, 2.00 - 26 - .005 ct



CS-2825 Cast
14kw, .25 - 12 - .015 ct



CS-2850 Cast
14kw, .50 - 12 - .015 ct



CS-2875 Cast
14kw, .75 - 14 - .015 ct



CS-28100 Cast
14kw, 1 ct - 16 - .015 ct



CS-28150 Cast
14kw, 1.50 ct - 16 - .015 ct



CS-28200 Cast
14kw, 2ct - 18 - .015 ct



NEW
CS-760 Cast
Square cluster 14 kw 9 - .01 ct



NEW
CS-765 Cast
Heart cluster 14 kw 7 - .01 ct



NEW
CS-766 Cast
Round cluster 14 kw 7 - .01 ct



IT-M2 Cast
Marquise shaped 2 st illusion setting,
14ky & w .015 ct to .12 ct rd



IS-M2 Die-struck
Marquise shaped 2 st illusion setting 14kw .01 ct rd



IS-M2 Die-struck
Marquise shaped 2 st illusion setting 14kw .025 ct rd



S-2 Cast
Marquise wire 2 stone setting
14ky & w .03 ct to .10 ct rd



SET-3 Cast
3 stone setting
14ky & w .02 ct to .07 ct

OVAL CLUSTERS



CS-45 Cast
Oval center cluster
14ky & w
7 x 5; 10 - .05 ct
8 x 6; 12 - .05 ct
9 x 7; 12 - .05 ct
10 x 8; 14 - .05 ct
11 x 9; 14 - .05 ct
12 x 10; 16 - .05 ct



CS-46 Cast
Oval center cluster
14ky & w
6 x 4; 12 - .02 ct
7 x 5; 14 - .02 ct
8 x 6; 16 - .02 ct
9 x 7; 14 - .03 ct
10 x 8; 16 - .03 ct

PEAR SHAPE CLUSTERS



CS-50 Cast
Pear shape center cluster
14ky & w
8 x 6; 5 - .01 ct,
4 - .02 ct; 5 - .03 ct



CS-50 Cast
14ky & w
11 x 9; 16 - .05 ct
12 x 10; 18 - .05 ct
13 x 11; 21 - .05 ct
14 x 12; 24 - .03 ct

BEZEL CLUSTERS



CS-49/1 Cast
Round bezel cluster
14ky & w
1 - .33 ct; 10 - .03 ct



CS-49/2 Cast
Round bezel cluster
14ky & w
1 - .50 ct; 10 - .05 ct



CS-49/5 Cast
Oval bezel cluster
14ky & w
7 x 5; 13 - 02 ct

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed

STRIPS



CS-70 Die-struck
illusion strip setting
14ky & w 27 - .005 ct

CS-70 Die-struck
illusion strip setting
14ky & w 21 - .01 ct



CS-70 Die-struck
illusion strip setting
14ky & w 18 - .02 ct



CS-6 Cast
6 stone strip setting
14ky & w
.005 ct to .10 ct



CS-75 Cast
12 stone strip setting
14ky & w
.005 ct to .10 ct



CS-55 Cast
5 stone strip setting
14ky & w
5 - .02 ct



CS-60 Cast
3 stone strip setting
14ky & w
3 - .03 ct
3 - .07 ct
3 - .10 ct



CS-76 Cast
12 stone strip setting
14ky & w
12 - .02 ct to 12 - .05 ct

ROUND BEZELS



S-67 Die-struck
Tapered tube setting
14ky & w .01ct to 3.50 ct
18ky & w .01 ct to 2.00 ct
Plat. .01 ct to 2.00 ct
14kp .03 ct to 1.25 ct



S-66 Cast
Tapered tube setting
w/2 jump rings
14ky & w .05 ct to 1.00 ct
18ky .05 ct to 1.00 ct
Plat. 0.05 to 0.15 ct



S-662 Cast
Tube setting
with jumbo rings
14ky & w
.07 ct to .55 ct



BZ-11 Cast
Round heavy bezel with airline
14ky & w
.05 ct to 3.25 ct



BZ-11B Cast
Round heavy bezel w/airline & bar
18ky & w, Plat.
.10 ct to 2.00 ct



BZ-12 Die-struck
Round high bezel w/bearing
14ky & w 1.75mm to 9mm
18ky & Plat. 2mm to 7mm
18kw cast 2mm to 7mm



BZ-13 Die-struck
Round high tapered bezel
14ky & w 4mm to 8mm
Plat. 4mm to 6.5mm



S-64 Cast
Half bezel channelled
14ky & w
.50 ct to 1.50 ct

It is believed that only 88,000 tons of gold have been taken from the earth since recorded history, leaving far more yet to be discovered.

OVAL BEZELS



BZ-16 Cast
Oval tapered heavy bezel
14ky & w
5 x 3 to 14.5 x 12.5



BZ-18 Cast
Oval tapered bezel w/ airline
14ky & w
6 x 4.5 to 10 x 8

MARQUISE SHAPE BEZELS



BZ-70 Cast
Marquise tapered bezel
w/ airline
14ky 2.75 x 1.25 to 11 x 6

PEAR SHAPE BEZELS



BZ-90 Cast
Pear shape tapered bezel
w/ airline
14ky 2.75 x 1.5 to 12.25 x 8.25
14kw 5.5 x 3.5 to 12.25 x 8.25

HEART SHAPE BEZELS



BZ-140 Cast
Heart shape bezel
14ky 3 x 3 to 12 x 10
14kw 3 x 3 , 3.5 x 3.5 & 10 x 8

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed

OTHER SHAPED BEZELS



BZ-27 Die- struck
Square high bezel
w/ bearing
14ky & w
2mm to 5.5mm



BZ-21 Cast
Emerald cut bezel
w/airline
14ky & w
5 x 3 to 10 x 8



BZ-20 Die-struck
Octagon low bezel
14ky 14 x 10mm
to 20 x 15mm
DISCONTINUED



BZ-25 Die-struck
Cushion low bezel
14ky 8 x 6mm to
20 x 15mm
DISCONTINUED



BZ-116 Cast
Emerald cut shaped
bezel
14ky & w
7 x 5 to 10 x 8



BZ-150/5 Cast
Trillion bezel
14ky & w 5 x 5 x 5



BZ-150/7 Cast
Trillion bezel
14ky & w 7 x 7 x 7



BZ-151/6 Cast
Triangle bezel
14ky & w 6 x 6 x 6

Watch Battery	
Watch Battery Type #	Cross Reference
301	SR43SW
315	SR716SW
317	SR516SW
319	SR527SW
321	SR616SW
329	SR731SW
335	SR416SW
337	----------
339	SR614SW
341	SR714SW
344	SR1136SW
346	SR712SW
357	SR44W
361	SR721
362	SR721SW
364	SR621SW
365	SR1116W
370	SR920W
371	SR920SW
373	SR916SW
376	SR626W
377	SR626SW
379	SR521SW
381	SR1120SW
384	SR41SW
386	SR43W
389	SR1130W
390	SR1120W
391	SR1120SW
392	SR41S
393	SR754W
394	SR936SW
395	SR927SW
396	SR726W
397	SR726SW
399	SR927W

Lithium Watch/Calculator Type#
Blister Card
CR1025
CR1216
CR1220
CR1225
CR1616
CR1620
CR1632
CR2012
CR201
CR2025
CR2032
CR2320
CR2325
CR2430
CR2450

Watch & Clock
23A
27A
Alkaline & Photo
AA
AAA
N
9 Volt

Prices are subject to change without notice.

EARRING NUTS FRICTION



EF-5N
Light nut 14k pink



EF-6
Light nut 14ky



EF-8H
Heavy Nut 14ky & w



EF-9
Light Nut 14ky & w



EF-10N
Light nut14ky & w
Fits .030 post



EF-11N
Light nut 14ky & w, pink,
18ky & w, pink Fits .030 post



EF-2
Medium Standard Nut Plat.



EF-12N
Medium Standard Nut
14ky & w, 18ky & w, s/s



EF-16
Medium Nut 14ky & w



EF-13
Medium Heavy 14ky & w



EF-14
Heavy Nut
14ky & w, 18ky & w, YGF, s/s



EF-15
Heavy Nut
14ky & w, 18ky & w, Plat.



EF-22
Medium Nut with design
14ky & w

EF-24N
Medium Nut 14ky & w, Pink,
18ky & w, Pink, YGF
Also available EF-24H (Heavy)
14ky & w, 18ky & w, s/s



EF-24S
14ky & w, 18ky & w, Plat.



EF-28HN
Heavy Nut 14ky & w, 18ky & w



EF-23XHN
X-heavy nut
14ky & w, Pink, 18ky & w,
Plat., s/s Fits .036 post



EF-25JN
Jumbo Nut 14ky, w & Pink.
18ky, w & Pink, Plat., YGF,s/s



EF-29
Jumbo Nut with design
14ky & w, 18ky & w, s/s



EF-HRT-SM
Heart shaped nut 14ky & w



EF-HRT-MED
Heart shaped nut 14ky & w



EF-HRT-LG
Heart shaped nut 14ky & w



PLASTIC DISC



COMFY BACK
BRASS & NICKEL

EARRING POSTS FRICTION

EF-10P
Light Standard Post
14ky & w, 14k pink .030 x 3/8

EF-11P
Double Notched Post
14ky & w,Pink, 18ky & w
.030 x 3/8

EF-12P
Medium Standard Post
14ky & w, 18ky & w, YGF
.033 x 3/8"

EF-17 Light Long Post
14ky & w, Plat. .030 x 7/16"



EF-17DNP
Double Notched Post 18 pink

EF-18
Medium Long Post
14ky & w, 18ky & w, s/s
.033 x 7/16"

EF-21P
Extra long Friction post
14ky & w, 18ky & w .030 x 1/2"

EF-23P
Heavy-Long Post
14ky & w, 18ky & w, Plat., s/s,
14 pink, 18 pink
.036 x 7/16"

EF-25P
X-Heavy Long Post
14ky & w .040 x 7/16"

T-BAR POSTS



EF-26
T-Bar Post 5 1/2mm
14ky & w 18ky .030 x 3/8"

T-BAR THREADED POST



ET-15P
Lt. T-Bar Threaded Post
14ky & w
Fits ET-9 Nut, ET-12 Nut & ET-13 Nut

EARRING NUTS THREADED



ET-18N
Push-on Screw-off Nut
14ky & w

ET-18P
Push-on Screw-off
Threaded Post
14ky & w

EARRING NUTS THREADED



ET-6N
Light Threaded Nut
14ky & w Fits ET-10P



ET-7N
Light Threaded Nut
14ky & w Fits ET-10P



ET-8N
Threaded Nut
14ky & w Fits ET-10 Post

ET-9N
Light Threaded Nut
14ky & w Fits ET-12 Post

ET-11N
Baby Threaded Nut
14ky & w

ET-12N
Light Threaded Nut
14ky & w,Plat.
Fits ET-12 Post

ET-12-HON
Threaded Nut
14ky & w Fits ET-12 Post

ET-13N
Light Threaded Nut
14ky & w,14kp, 18ky & w,
Plat. Fits ET-12 Post

ET-10N Regular Threaded Nut 14ky & w, 14kp, 18ky & w, Plat., s/s Fits ET-10 Post

ET-14 SN
Jumbo Threaded Nut fits
ET-10 Post
14ky & w, 18ky & w, Plat

EARRING POSTS THREADED BACK

ET-11P
Baby Threaded Post 14ky & w

ET-12P
Light Threaded Post
14ky & w, 14kp, 18ky & w,
Plat.

ET-10P
Regular Threaded Post
14ky & w, 14kp, 18ky & w,
Plat. s/s

JUMBO COMBINATION

ET-14PN Jumbo Threaded Post & Nut 14ky & w, 14kp, 18kyw, 18kp, Plat.

ET-FL-PN
Flower Friction post & nuts
14ky & w

PRESSURE BACKS

PRPN Pressure Backs-Small
14ky & w, 14kp,18ky & w,
18kp, Plat.

PRPN
Pressure Backs-Large
14ky, w & pink, 18ky, w &
pink, Plat. Also available with comfort fit guardian

PRPN-34PN
Pressure Backs P + N
14ky & w

DOMED CUP



EF-30
Regular Wt. Domed Cup
14ky , s/s, 4mm
s/s 5 mm

PEARL EARRINGS



EF-76L
Light Weight Pearl Cup
14ky 2.25, 3, 4, 5mm
.026 Post



EF-76
Regular Wt. Pearl Cup
14ky 2.25, 3, 4, 5,6mm
14kw 3,4,5,6mm
18ky & w 4,5mm
s/s 5mm
.030 Post



EF-186
Pearl Cup Earrings
18ky & w 6.5mm
14ky & w 8mm & 10mm

BALL EARRINGS



EF-88
Light Weight Ball Earring
14ky & w 3, 4, 5, 6, 7,8mm
18ky 3, 4, 5mm



EF-88R
Light Wt. Ball Earring
with Jump Ring
14ky & w, 18ky 3, 4, 5 mm



EF-87R
Regular Wt. Ball Earring
with Jump Ring
YGF 3, 5mm
s/s 3,4,5mm

BEZEL EARRINGS



EF-BZ Cast
Round Bezel with Airline
14ky & w .05 ct to 2.00 ct



EF-67 Cast
Bezel earrings
14kw .15 ct to 1.00 ct



EF-100 Cast
Round Shape Bezel
14ky & w .05 ct to 1.00 ct



ET-BZ Cast
Airline Bezel w/ Standard
Screw Post 14ky & w
.05 ct to 2.00 ct

3-PRONG ROUND



EF-31 Cast
Martini Earrings
14ky & w 2.5 to 10.5 mm
18ky & w ,Plat
4 to 10.5 mm



EF-33 Cast
Wire Basket Earrings
14ky & w, 18ky & w, Plat
.05 ct to 1.00 ct



ET-31 Cast
Martini Screw Post
14ky & w, 18ky & w, Plat.
4 to 10 mm Requires
ET-10 Nut sold
seperately

4-PRONG ROUND



EF-36 Die-struck
Light Weight 4 Prong
Pre-Cut
14ky & w .05 ct to 2.00 ct



EF-35 Die-struck
4-Prong Regular Weight
14ky & w .01 ct to 1.00 ct



EF-37 Cast
4 Double Prong Wire
14ky & w .10 ct to .75 ct



EF-38M Cast
4 Prong Light Weight
Metal Mold
14ky & w 2mm to 10mm



EF-38L Cast
4 Prong Wire Setting
Low & Light
14ky & w .02ct to 3.00 ct



EF-38 Cast
4 Prong Wire Setting
14ky & w .03 ct to 4.00 ct
18ky & w .05 to 3.00 ct
14kp .10 to 2.00 ct
Plat. .10 ct to 3.00 ct



EF-133
Cast 4 Prong tulip earring
14kw 3 to 8 mm



EF-138 Cast
4 Prong Wire Setting
with 1 Diam. Accent
14ky & w .20 ct to 2.00 ct



EF-338 Cast
4 Prong Wire Setting
with 3 Diam. Accents
14ky & w .20 ct to 1.50 ct



EF-49 Cast
Four Prong Wire Setting
14kw 7mm



EF-IS10 Cast
4 Prong Illusion
14kw .05 ct to .25 ct



EF-39 Die-struck
4 Prong illusion
14kw & 14ktt
.005 ct to .10ct



EF-41 Cast
4 Prong Martini
14ky & w 2.5mm to 10mm
18ky 4 to 10mm
18kw 3 to 10mm
Plat. 4 to 10mm



EF-44 Cast
4 Prongs Split at the Base
14kw 4mm to 9mm



EF-34H Cast
Four prong round earring
with heart shape design
14kw 6.5mm



EF-164 Die-struck
4 Prong Martini Earrings
14ky & w 2.76 to 5.5mm



ET-23 Die-struck
4 Prong Push on Screw off
14ky & w .05 ct to .50 ct
Requires ET-18 Nut sold separately



ET-19 Die-struck
4 Prong with Light
Screw Post
14ky & w .05 ct to .50 ct
Requires ET-12 & ET-13 Nut
sold separately



ET-38 Cast
4 Prong Lt. Wt.
Screw Post
14ky & w .02 ct to 3.00 ct
Requires ET-9N, & ET-12N &
ET-13 Nut Sold separately



ET-20 Die-struck
4 Prong with Standard
Screw Post
14ky & w .05 ct to 1.00 ct
Requires ET-10 Nut sold
separately



ET-22 Cast
4 Prong with
Standard Screw Post
14ky & w .03 ct to 4.00 ct
18ky & w .05 ct to 3.00 ct
Requires ET-10 Nut sold
separately



ET-22J Cast Lightweight
4 Prong Screw Post
14ky & w .05 ct to 3.00 ct
Plat .15 ct to 3.00 ct
Requires ET-10 Nut sold
separately

6-PRONG ROUND



EF-46 Die-struck
6 Prong Flat Back
14ky & w
.05 ct to 2.00 ct



EF-48 Die-struck
6 Prong Pre-cut
14ky & w .50 ct to 2.00 ct



EF-47 Die-struck
6 Prong Round Back
14ky & w .05 ct to 1.00 ct



EF-45 Cast
6 Prong Wire
14ky & w .10 ct to 3.00 ct

EF-42 Die-struck
6 Prong Buttercup
14ky .01 ct to 1.00 ct
14kw .02 ct to 1.00 ct

6-PRONG ROUND, CONT'D



ET-25 Die-struck
6 Prong w/ Light Weight Screw Post
14ky & w .05 ct to .50 ct
(Requires ET-12 Nut; ET-13 Nut)



ET-24 Die-Struck
6 Prong with Standard Screw Post
14ky & w .10 ct to 1.00 ct
(Requires ET-10 Nut)



ET-47 Cast
6 Prong Wire with Standard Screw Post
14ky & w .10 ct to 3.00 ct
(Requires ET-10 Nut)



ET-26 Die-Struck
Buttercup w/ Standard Screw Post
14ky & w .05 ct to .50 ct
(Requires ET-10 Nut)

8-PRONG ROUND



EF-57 Cast
8 Prong Wire
14ky & w .20 ct to 2.00 ct



ET-30 Cast
8 Prong Wire w/standard screw post
14ky & w .20 ct to 2.00 ct
(Requires ET-10 Nut)

CLUSTER ROUND



EFCS-8
14kw .22ct tw
Cast 8 Stone Cluster Earrings
1x .017 ct, 8x .025ct



EF-52 Die-Struck
7 Stone 14ky & tt
.01 ct, .02 ct, .03 ct



EF-99 Cast
Rd. Cluster
14ky & w
1-.25 ct, 8-.02 ct
1-.50 ct, 12-.02 ct
1-.75 ct, 12-.03 ct
1-1.00 ct, 12-.03 ct

CHANNEL ROUND



EF-RCH Cast
Channel Set Rd.
14ky & w
.05 ct, .10 ct, .15 ct,
.25 ct, .50 ct, .75 ct

OVAL



EF-61 Cast
Oval 4 Prong Standard Wire
14ky & w
4 x 3mm to 14 x 10mm



EF-90 Cast
Oval Earrings with 1 Diam. accent
14ky & w
5 x 3mm to 10 x 8mm



EF-91 Cast
Oval Earrings with 3 Diam. accents
14ky & w
5 x 3mm to 10 x 8mm



EF-98 Cast
Oval Cluster Earrings
14ky & w
6 x 4mm to 10 x 8mm

PEAR SHAPE



EF-60 Cast
Pear Shape V-Prong
14ky & w
3.5 x 2.5 mm to 12 x 8mm



EF-160 Cast
Pear Shape V-Prong w/ 1 Diam. accent
14ky & w
5 x 3mm to 10 x 7mm



EF-360 Cast
Pear Shape V-Prong w/ 3 Diam. accents
14ky & w
5 x 3mm to 10 x 7mm

CHANNEL PEAR SHAPE



EF-PCH Cast
Pear Shape Channel Set Earring
No Post
14ky & w
.25 ct, .50 ct, .75 ct, 1.00 ct

CHANNEL EMERALD CUT



EF-ECH Cast
Emerald Cut Channel Set Earring
14ky & w
5 x 3mm, 6 x 4mm, 7 x 5mm

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed

EMERALD CUT SHAPE



EF-62 Cast
Emerald Cut
4 Prong Standard Wire
14ky & w
6 x 4mm to 14 x 10mm



EF-92 Cast
Emerald Cut 4 prong Standard Wire with 1 Diam. accent
14ky & w
6 x 4mm to 14 x 10mm



EF-97 Cast
Emerald Cut 4 prong Standard Wire with 3 Diam. accents
14ky & w
6 x 4mm to 14 x 10mm

SQUARE SHAPE



EF-64 Cast
Square 4-Prong Wire
14ky & w
2 x 2mm to 8.5 x 8.5mm
18ky & w, Plat.
3.5 x 3.5 to 8.5 x 8.5mm



EF-63 Cast
Square 4-Prong wire
14ky & w
2.5 x 2.5 to 10 x 10mm



EF-156 Cast
V-End Square Earring
14ky & w
2.5 x 2.5mm to
6.5 x 6.5mm



EF-163 Cast
4 Prong Martini Earring
14ky & w
2.5 to 5mm



EF-164 Die-Struck
4-Prong Martini Earring
14ky & w
2.75 x 2.75mm to
5.5 x 5.5mm

SQUARE THREADED POST



ET-156 Cast
V-end Square Earring with threaded post
14ky & w
2 x 2 to 6.5 x 6.5
(Requires ET-10 Nut.)



ET-64 Cast
Square 4 Prong Wire
14ky & w
2.5 x 2.5mm to
8.5 x 8.5mm
Plat 3.5 x 3.5 to 7 x 7

TRIANGLE SHAPE



EF-66 Cast
Triangle 6-Prong
14ky & w
4mm to 9.5mm

HEART SHAPE



EF-65 Cast
Heart Shape V-Prong
14ky & w
3 x 3mm to 10 x 10mm



EF-165 Cast
Heart Shape
V-Prong with 1 Diam.
Accent 14ky & w
3 x 3mm to 10 x 10mm



EF-365 Cast
Heart Shape
V-Prong with 3 Diam.
Accent 14ky & w
3 x 3mm to 10 x 10mm

MARQUISE SHAPE



EF-84 Cast
Marquise 4 Prong Wire
14ky & w
7 x 3.5 to 11 x 5mm

KIDNEY WIRES



EW-16
Kidney Wire s/s

TOP WIRES



EW-23 Earring Top Wire
14y



EW-24 Flat Top Wire
14ky & w, s/s
1/2", 9/16", 3/4"



EW-24C Catch
14ky & w, s/s
EW-24J Joint
14ky & w, s/s



EW-26 Top Wire with joint
14ky & w
12mm, 14mm, 16mm, 18mm
s/s 18mm



EW-26C Catch
14ky & w, s/s

SHEPHERD WIRES



EW-28
Shepherd Hook Wire
14ky & w



EW-29
Shepherd Hook Wire Balled & Looped
14ky & w .027
18ky & w, s/s, YGF



EW-31 Cast
14ky & w
31/1 – 6-.01 ct
31/2 – 5-.02 ct
31/3 – 5-.03 ct
14kp
31/1-6- .01ct



EW-32/2
Shepherd Hook Wire
s/s

LEVER BACKS



EW-40
Lever Back
14ky & w



EW-42
Lever Back
14ky & w



EW-43
Lever Back
14ky & w



EW-99
Lever Back
w/jump ring
14ky & w



EW-83
Lever Back w/ Ring
14ky & w, YGF, s/s



EW-87
Lever Back w/Ring
14ky & w ,Pink,
18ky & w ,Pink,
Plat.

LEVER BACKS, CONT'D



EW-86
Lever Back w/ Fleur de Lis
14ky & w, s/s, YGF



EW-86LG
Lever Back w/ Fleur de Lis
14ky & w, s/s



EW-89
Lever Back
14ky, 14kp & 14kw, 18ky & w



EW-66
Lever Back W/Pearl cup &
open loop
s/s



EW-76
Lever Back w/Pearl Cup
14ky 3,4,5mm



EW-7687 Cast
Lever Back Earrings for
Pearl & Stones
14kw 7-8mm, 1-.08 ct 4-.03 ct
14kw 8-10mm, 1-.15 ct 4-.03 ct
14kw 11-12mm, 1-.20 ct 4-.03 ct



EW-79
S-Clip Lightweight
14ky & w, 18ky & w



EW-80
S-Clip Regular Weight
14ky, w & Pink,
18ky, w & Pink ,Plat.



EW-81
S-Clip x-lg Regular Weight
14ky & w, 18ky & w



EW-72
European Back Large
14ky & w



EW-73 Cast
Small European Earring Back
14ky & w, 18ky
Also available light weight
EW-73L 14ky & w



EW-74 Cast
Medium European Earring Back
14ky & w



EW-75 Cast
Large European Earring Back
14ky & w

LEVER BACKS, CONT'D



EW-90 Cast
14ky & w
8 - .005ct
6 - .01ct
4 - .02ct



EW-22 Cast
Lever Back w/ 4-prong
Round Wire Basket setting
14ky .10 ct to 1.50 ct
14kw .10ct to 2.00 ct



EW-BZ Cast
Lever Back w/ Airline Bezel
14ky .10 ct to 1.00 ct



EW-100 Cast
Lever Back with 4-prong
Pear Shape Wire setting
14ky 6 x 4mm, 7 x 5mm,
9 x 6mm



EW-112 Cast
Lever Back with 4-prong
Oval Wire setting
14ky 6 x 4mm, 7 x 5mm,
8 x 6mm



EW-115 Cast
Lever Back with 4-prong
Emerald Cut Wire setting
14ky 6 x 4mm, 7 x 5mm,
8 x 6mm



EW-143 Cast
Lever Back with 4-prong
Heart Shape Wire setting
14ky 5 x 5mm, 6 x 6mm,
7 x 7mm

CAST PADS FOR EAR CLIPS



ECP-1
14ky & w



ECP-2
14ky & w



ECP-3
14ky & w

CLIP BACKS



EC-42B
Clip Back
s/s



EC-42J
Joint
s/s



EC-27 SM
Clip Back with pad
14ky & w



EC-28 MED
Clip Back with pad
14ky & w



EC-29 LG
Clip Back with pad
14ky & w

OMEGA CLIPS



EC-5
Light Weight
Omega Clip wire
Small 14ky & w



EC-6
Light Weight
Omega Clip wire
Med 14ky & w



EC-7
Light Weight
Omega Clip wire
Large 14ky & w



EC-JOINT
Joint for EC-5,6,7
14ky & w



EC-10
Regular Weight
Omega Clip Sm.
14ky, 14kw, 14kp, 18ky,
18kw, 18kp, Plat., s/s



EC-11
Regular Weight
Omega Clip Med.
14ky, 14kw, 14kp,
18ky, 18kw, 18kp, Plat, s/s



EC-12
Regular Weight
Omega Clip Lg.
14ky, 14kp, 14kw,
18ky, 18kw, 18kp,
Plat., s/s



EC-LUG
14ky & w, 18ky & w

EC-20/1
Rivet
14ky & w



EC-10 Wire
Regular Weight
Omega Wire Sm.
14ky, 14kw, 18ky, 18kw



EC-11 Wire
Regular Weight
Omega Wire Med.
14ky, 14kw, 18ky, 18kw



EC-12 Wire
Regular Weight
Omega Wire Lg.
14ky, 14kw, 18ky, 18kw

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed

OMEGA CLIPS, CONT'D



EC-60 Cast
Heavy Weight Clip Sm.
14 ktt, 14kw, 18 ktt



EC-61 Cast
Heavy Weight Clip Med.
14 ktt, 18 ktt



EC-62 Cast
Heavy Weight Clip Lg.
14 ktt, 18 ktt



EC-53
Fancy Clip Sm.
14 ktt, 18 ktt



EC-54
Fancy Clip Med.
14 ktt, 18 ktt



EC-55
Fancy Clip Lg.
14 ktt, 18 ktt



EC-50 Cast
European Design Clip Sm
14ky, 14kw, 14kp, 18ky &
18kw



EC-51 Cast
European Design Clip Med.
14ky, 14kw, 14kp, 18ky &
18kw



EC-52 Cast
European Design Clip Lg.
14ky, 14kw, 14kp, 18ky &
18kw



EC-63 Cast
Lightweight Clip Sm.
14kw, 14ktt, 18kw & 18ktt



EC-64 Cast
Lightweight Clip Med.
14kw, 14ktt, 18kw & 18ktt



EC-65 Cast
Lightweight Clip Lg.
14kw, 14ktt, 18kw & 18ktt



GRIPPERS

CUSHIONS FOR OMEGAS



MED.



SM.

Weight Conversions	
To Convert from	Multiply By
Wax to 14kt	13
Wax to 18kt	14.8
Wax to Plat	22
Silver to 14kt	1.30
Silver to 18kt	1.48
Silver to Plat	2.21
10kt to 18kt	1.30
10kt to Plat	1.93
14kt to 10kt	.88
14kt to 18kt	1.14
14kt to Plat	1.7
18kt to 14kt	.88
18kt to Plat	1.50
Plat to 14kt	.59
Plat to 18kt	.67
DWT to Gram	1.555
Gram to DWT	.643
Kilogram to Troy Ounces	32.15

Gold's many unique properties have secured it as central role in history and human development. Gold is a remarkable, rare metal, with an unparalled combination of chemical and physical properties. It is the only yellow metal and bears its name from the Old English word for yellow, 'geolu'. It is also the only metal that forms no oxide film on it's surface in air at normal temperatures, meaning that it will never rust or tarnish

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed

EARRING JACKETS



EJ-11 Cast
14ky & 14kw
8 - .05 ct



EJ-12 Cast
14ky & w
10 - .02 ct



EJ-12 Cast
14ky & w
10 - .03 ct



EJ-12 Cast
14ky & w
10 - .05 ct



EJ-13 Cast
14ky & w
12 - .01 ct



EJ-13 C
14ky & w
12 - .02 ct



EJ-13 Cast
14ky & w
12 - .03 ct



EJ-24 Cast
14ky & w
8 - .06 ct



EJ-25 Cast
14ky & w
10 - .01 ct



EJ-25 Cast
14ky & w
10 - .05 ct



EJ-26/1 Cast
14ky & w
14 - .02 ct



EJ-26/3 Cast
14ky & w
14 - .04 ct



EJ-26/5 Cast
14ky & w
14 - .06 ct



EJ-27 Cast
14ky & w
8 - .01 ct



EJ-27 Cast
14ky & w
8 - .02 ct



EJ-28 Cast
14ky & w
4 - .01 ct



EJ-28 Cast
14ky & w
4 - .03 ct



EJ-29 Cast
14ky & w
6 - .005 ct



EJ-29 Cast
14ky & w
6 - .02 ct



EJ-29 Cast
14ky & w
6 - .04 ct



EJ-31 Cast
14ky & w
15 - .02 ct



EJ-32 Cast
14ky & w
12 - .02 ct

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed



EJ-SQ-4 MM Cast
14ky & w
12 - .03 ct



EJ-SQ-5 MM Cast
14ky & w
12 - .03 ct



EJ-SQ-6 MM Cast
14ky & w
16 - .03 ct



EJ-7/25 Cast
14kw, .25-13-.01ct
EJ-7/50 Cast
14kw, .50-15-.01ct
EJ-7/75 Cast
14kw, .75-16-.01ct
EJ-7/100 Cast
14kw, 1.00-18-.01ct
EJ-7/150 Cast
14kw, 1.50-20-.01ct
EJ-7/200 Cast
14kw, 2.00-22-.01ct



EJ-8/25 Cast
14kw, .25-11-.02ct
EJ-8/50 Cast
14kw, .50-12-.02ct
EJ-8/75 Cast
14kw, .75-13-.02ct
EJ-8/100 Cast
14kw, 1.00-14-.02ct
EJ-8/150 Cast
14kw, 1.50-16-.02ct
EJ-8/200 Cast
14kw, 2.00-17-.02ct



EJ-9/25 Cast
14kw, .25-9-.03ct
EJ-9/50 Cast
14kw, .50-11-.03ct
EJ-9/75 Cast
14kw, .75-12-.03ct
EJ-9/100 Cast
14kw, 1.00-13-.03ct
EJ-9/150 Cast
14kw, 1.50-14-.03ct
EJ-9/200 Cast
14kw, 2.00-15-.03ct



EJ-10/25 Cast
14kw, .25-8-.05ct
EJ-10/50 Cast
14kw, .50-9-.05ct
EJ-10/75 Cast
14ky & 14kw, .75-10-.05ct
EJ-10/100 Cast
14kw, 1.00-11-.05ct
EJ-10/150 Cast
14kw, 1.50-12-.05ct
EJ-10/200 Cast
14kw, 2.00-13-.05ct



EJ-11/25 Cast
14ky & w, .25-7-.10ct
EJ-11/50 Cast
14ky & w, .50-8-.10ct
EJ-11/75 Cast
14ky & w, .75-9-.10ct
EJ-11/100 Cast
14ky & w, 1.00-10-.10ct
EJ-11/125 Cast
14ky & w, 1.25-10-.10ct
EJ-11/150 Cast
14ky & w, 1.50-11-.10ct
EJ-11/200 Cast
14ky & w, 2.00-11-.10ct

CAST EARRINGS



CE-10/1
Channel Earring
14ky & 14kw
7 - .03 ct



CE-47
XO Earrings
14ky & 14kw
5 - .05 ct



CE-47
XO Earrings
14ky & 14kw
5 - .10 ct



CE-33
3 stone earring mounting
14ky & w
.12ct TW to .99 ct TW



CE-44
4 stone earring mounting
14ky & w
.12 ct TW to .40 ct TW



CE-34
14ky & w



CE-333
3 stone & pearl earring mounting
14ky & w 3 - .10 ct 6mm pearl cup



CE-40
14ky & w Left & Right
10 - .025 ct



CE-43
Flower earring
14ky & w



EF-424 Cast
Moon Earrings no post
14ky & 14kw 3-.01 ct



EF-468 Cast
Star Earrings no post
14ky & 14kw 6-.01 ct



EF-444
14kw Square Earring
4. - 2 x 2



EF-445
14kw Round Stone Earring
1 - .025ct
4 - .06ct



EF-433
14kw Round Stone Earring
1 - .25ct
11 - .015ct



EF-438
14kw Round Stone Earring
.15ct tw - 1x5mm



EF-520 Cast
Leaves Earrings no post
14ky & w



EF-521 Cast
Leaves Earrings no post
14ky & w, 32-.005 ct



EF-522 Cast
Leaves Earrings no post
14ky & w, 24-.01 ct



EF-523 Cast
Leaves Earrings no post
14ky & w, 28-.01 ct



EF-524 Cast
Leaves Earrings
14ky & w, 39-.075 ct



EF-525 Cast
Leaves Earrings
14ky & w, 39-1.25 ct



CE-200
14ky
10 x 8

DISCONTINUED



CE-200
14ky
12 x 10

DISCONTINUED



CE-201
14ky 10 x 8

DISCONTINUED

No one is completely sure where gold comes from. The relative average abundance in our Solar System appears higher than can be made in the early universe, in stars, and even in typical supernova explosions. Some astronomers now suggest that neutron-rich heavy elements such as gold might be most easily made in rare neutron-rich explosions such as the collision of neutron stars. Since neutron star collisions are also suggested as the origin of short duration gamma-ray bursts, if you own some gold it is possible that you have a souvenir from one of the most powerful explosions in the universe.

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed

SNAP ON BAILS



PB-30 Die-struck
s/s



PB-32 Die-struck
14ky & s/s



PB-34L Die-struck
14kw



PB-34 Die-struck
14ky



PB-40 Die-struck
14ky & w, s/s, YGF

DIE-STRUCK BAILS



PB-25/1 Die-struck
14ky & w, s/s



PB-25/2 Die-struck
14ky & w, s/s



PB-25/3 Die-struck
14ky & w, s/s



PB-25/4 Die-struck
14ky & w



PB-25/5
Die-struck
14ky & w



PB-25/6
Die-struck
14ky

CAST BAILS



PB-48 Cast
s/s



PB-50 Die-struck
s/s



PB-55 Cast
s/s



PB-57 Cast
s/s



PB-76 Cast
14ky & w



PB-77 Cast
14ky & w



PB-78 Cast
14ky & w



PB-79 Cast
14ky & w



PB-80 Cast
14ky & w



PB-81 Cast
14ky & w



PB-83 Cast
14ky & w



PB-84 Cast
14ky & w



PB-85/1 Cast
14ky, 14kw & 14kp ,
18ky & 18kw, Plat. & s/s



PB-85 Cast
14ky, 14kw & 14kp ,
18ky & 18kw, Plat. & s/s



PB-86 Cast
14ky, 14kw & 14kp ,
18ky & 18kw, Plat. & s/s



PB-90 Cast
s/s



PB-92 Cast
14ky & w, 18ky & w, Plat.
2 - .03 ct, 2 - .025 ct ,
1 - .02 ct



PB-93 Cast
Pendant Bail for Stones
14ky & w 6-.02 ct



PB-94 Cast
Pendant Bail for Stones
14ky & w 5-.03 ct



PB-95 Cast
Pendant Bail for Stones
14ky & w
4-.015 ct- . 05ct

RABBIT EAR BAILS



PB-10/1 Die-struck
14ky & w



PB-10/2 Die-struck
14ky & w, 18ky & w



PB-10/3 Die-struck
14ky & w



PB-12/1 Cast
s/s



PB-12/2 Cast
s/s



PB-13/1 Die-struck
14ky & w



PB-13/2 Die-struck
14ky & w



PB-13/3 Die-struck
14ky & w



PB-16/1 Die-struck
14ky & w



PB-16/2 Die-struck
14ky & w, 18ky & w, Plat.



PB-16/3 Die-struck
14ky & w, 18ky & w, Plat.



PB-16/5 Die-struck
14ky & w, 18ky & w , Plat.



PB-20 Die-struck
14ky & w



PB-60
Cast 3 stone cluster
14ky & w, .02 ct to .07 ct

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed

PEARL DROPS



PD-8
6 mm cup
14ky



PD-10/1
14ky & w



PD-10/3
3 mm cup
14ky & w



PD-10/4
4 mm cup
14ky & w



PD-10/5
5 mm cup
14ky & w



PD-10/6
6 mm cup
14ky & w



PD-11/4
4 mm cup
14ky & w



PD-11/5
5 mm cup
14ky & w



PD-11/6
6 mm cup
14ky

Gold is so heavy that one cubic foot of it weighs half a ton. Gold is six to seven times heavier than other materials that equal its size. The largest gold nugget found in the U.S. weighed 195 pounds; it came from California.



PD-51 Cast
8 mm, 16 - .01 ct, 8 - .005 ct
14ky & w



PD-52 Cast
8 mm, 8 - .01 ct
8 - .02 ct, 8 - .03 ct
14ky & w



PD-53 Cast
8 mm, 6 - .02 ct,
6 - .03 ct, 6 - .05 ct
14ky & w



PD-54 Cast
9 mm, 8 - .005 ct,
8 - .01 ct, 16 - .02 ct
14ky & w



PD-55 Cast
9 mm, 6 - .01 ct,
44 - .015 ct
14ky & w



PD-333 Cast
6 mm Pearl cup
3 - .10 ct
14ky & w



PD-42
Pearl cup w/ a bail
14ky
DISCONTINUED LIMITED



PD-50 Cast
7 mm, 15 - .01 ct
9 - .02 ct, 9 - .04 ct
14ky & w

4 PRONG PENDANTS



PE-10 Die-struck
4 prong
14ky & w .02 ct to 2.00 ct



PE-13 Cast
4 prong round wire
14ky & w .05 ct to 6.00 ct
Plat .25 ct to 3.00 ct



PE-113 Cast
4 prong round wire
w/ 1 diam. accent
14ky & w .20 ct to 2.00 ct



PE-313 Cast
4 prong w/ 3 diam. accents
14ky & w
.20 ct to 2.00 ct



PE-12 Die-struck
4 prong illusion
14 ktt & w .005 ct to .10 ct

6 PRONG PENDANTS



PE-26 Die-struck
6 prong
14ky & w .02 ct to 2.00 ct



PE-45 Cast
6 prong round wire
14ky & w .10 ct to 3.00 ct



PE-14 Die-struck
6 prong buttercup
14ky & w .02 ct to 1.00 ct

CLUSTERS



PE-28 Die-struck
7 stone cluster
14ky & tt
.01 ct
.02 ct
.03 ct



PE-160 Cast
14ky & w
1 x .25 ct, 3 x .01 ct
1 x .50 ct, 3 x .01 ct
1 x .75 ct, 3 x .01 ct
1 x 1.00 ct, 3 x .01 ct



PE-2725 TO 27200 Cast
Round Cluster 14kw
PE-2725, .25-11-.02 ct
PE-2735, .35-11-.02 ct
PE-2750, .50-12-.02 ct
PE-2775, .75-13 -.02 ct
PE-27100, 1.00-14-.02 ct
PE-27150, 1.50-16-.02 ct
PE-27200, 2.00-17-.02 ct

BEZEL PENDANTS



PE-BZ Cast
Bezel w/Airline
14ky & w
.20 ct to 2.00 ct



PE-DN Cast
Donut
14ky & w
.25 ct, .50 ct, .75 ct,
1.00 ct, 1.50 ct, 2.00 ct

ROUND CHANNEL



PE-RCH Cast
Round Channel set
14ky & w
.12 ct, .20 ct,
.25 ct, .38 ct, .50 ct,
.62 ct, .75 ct, 1.00 ct

OVAL CHANNEL



PE-OCH Cast
Oval channel
14ky & w
5 x 3; 6 x 4; 7 x 5

Karat Weight Conversions		
To Convert from	To	Multiply By
14K	10K	.888
14K	18K	1.153
14K	22K	1.350
14K	24K	1.480
14K	Plat	1.652
14K	Sterling	.782
14K	Palladium	.920
Conversions are approximate		

Following the fall of the Roman Empire, the mining and production of gold was halted for nearly 1000 years until the Spanish discovered America in 1492.

OVAL PENDANTS



PE-53 Cast
4 prong light weight
14ky & w
6 x 4 to 12 x 10 mm



PE-50 Cast
4 prong regular weight
14ky & w
5 x 3.5 mm to 22 x 17 mm



PE-51 Cast
4 prong, 1 diam
14ky & w
4 x 3 mm to 10 x 8 mm



PE-52 Cast
4 prong, 3 diam
14ky & w
6 x 4 mm to 11.5 x 9 mm



PE-85 Cast
Oval cluster
14ky & w
6 x 4, 10 - .01 ct
8 x 6, 12 - .03 ct



PE-98 Cast
Oval cluster
14ky & w
6 x 4 mm to 10 x 8 mm



PE-99 Cast
Oval Cluster 14kw
5 x 3 mm to 12x10 mm

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed

MARQUISE PENDANTS



PE-84 Cast
4 Prong regular weight
14ky & w
6.5 x 3 mm, 8 x 3.5 mm,
9 x 4 mm, 11 x 5 mm

FANCY OVAL PENDANTS



PE-201 Cast
Fancy Oval 14ky
10 x 8, 12 x 10
DISCONTINUED

PEAR SHAPE PENDANTS



PE-46 Cast
Light weight "V" Prong
14ky & w
6 x 4 to 16 x 12



PE-47 Cast
Regular weight 4 Prong
14ky & w
4.5 x 2.5 mm to 22 x 14 mm



PE-48 Cast
4 Prong pear shape
w/ 1 diam. accent
14ky & w
5 x 3 mm to 10 x 7 mm



PE-49 Cast
"V" Prong pear shape
w/ 3 diam. accents
14ky & w
5 x 3.5 mm to 11 x 7mm



PE-PCH Cast
Pear shape channel set
14ky & w
.25 ct, .50 ct,
.75 ct, 1.00 ct

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed

EMERALD CUT PENDANTS



PE-54 Cast
Light weight emerald cut
14ky & w
6 x 4 mm to 14 x 10 mm

PE-55 Cast
Regular weight emerald cut
14ky & w
4.5 x 3.5 to 30 x 20 mm

PE-56 Cast
Regular weight w/ 1 diam. accent 14ky & w
6 x 4 mm to 10 x 8 mm

PE-57 Cast
Regular weight w/3 diam. accents 14ky & w
7.5 x 5 mm to 10.5 x 8 mm



PE-95 Cast
Emerald Cluster 14kw
5 x 3 mm to 12 x 10 mm



PE-96 Cast
Emerald Cut Cluster
14ky & w
6 x 4 mm to 12 x 10 mm



PE-ECH Cast
Emerald Cut Channel Set
14ky & w 5 x 3; 6 x 4; 7 x 5

CUSHION PENDANTS



PE-6035 TO 6080 Cast
Cushion Pendant 14kw
PE-6035, 3.5-10-.02 ct
PE-6040, 4-10-.02 ct
PE-6045, 4.5-12-.02 ct
PE-6050, 5-12-.02 ct
PE-6055, 5.5-12-.02 ct
PE-6060, 6-14-.02 ct
PE-6065, 6.5-16-.02 ct
PE-6070, 7-16-.02 ct
PE-6080, 8-18-.02 ct

SQUARE PENDANTS



PE-156 Cast
V-end square shape pendant
14ky & w .10 ct to .65 ct



PE-157 Cast
4 Prong wire basket
14ky & w .20 ct to .75 ct



PE-163 Cast
4 Prong flat wire basket
14ky & w 3 mm to 5 mm



PE-6157 Cast
Square Cut Cluster 14kw
3.5mm-12-.02 ct
4mm-12-.02 ct
4.5mm-12-.02 ct
5.5mm-12-.02 ct
6mm-16-.02 ct
8mm-20-.02 ct

HEART SHAPE PENDANTS



PE-65 Cast
V-end heart shape wire setting
14ky & w
3 x 3 mm to 10 x 10 mm



PE-165 Cast
V-end heart shape wire setting
w/ 1 diam. accent
14ky & w
3 x 3 mm to 10 x 10 mm



PE-365 Cast
V-end heart shape wire setting
w/ 3 diam. accents
14ky & w
.3 x 3 mm to 10 x 10 mm



PE-70/1 Cast
Heart Shape
14ky & w 1 - .02 ct rd.



PE-70/8 Cast
Heart Shape
14ky 8 - .01 ct rd.



PE-71 Cast
Heart Shape
14ky 19 - .01 ct rd.



PE-72/1 Cast
Heart Shape
14ky & w 16 - .01 ct rd.



PE-72/3 Cast
Heart Shape
14ky & w 16 - .015 ct rd.



PE-72/5 Cast
Heart Shape
14ky & w 16 - .03 ct rd.



PE-72/8 Cast
Heart Shape
14ky & w 16 - .06 ct rd.



PE-72/12 Cast
Heart Shape
14ky & w 16 - .03 ct rd.

Crown Findings Co., Inc. | 44 West 47th St. | New York, NY 10036-2826 | Ph: 212.764.6470 | Fax: 212.764.6493

HEART SHAPE PENDANTS, CONT'D



PE-73/2 Cast
Heart Shape
14ky & w 18
.02 ct rd.



PE-73/3 Cast
Heart Shape
14ky & w
22 - .02 ct rd.



PE-74/1 Cast
Heart Shape
14ky & w
20 - .01 ct rd.



PE-74/4 Cast
Heart Shape
14ky & w
20 - .03 ct rd.



PE-74/8 Cast
Heart Shape
14ky & w
20 - .05 ct rd.



PE-75 Cast
Heart Shape
14ky & w
20 - .05 ct rd.



PE-75 Cast
Heart Shape
14ky & w
21 - .07 ct rd.



PE-75 Cast
Heart Shape
14ky & w
22 - .10 ct rd.



PE-75 Cast
Heart Shape
14ky & w
27 - .13 ct rd.



PE-76 Cast
Heart Shape
14ky & w
20 - .10 ct rd.



PE-78 Cast
Heart Shape
14ky & w
15 - .03 ct rd.

DISCONTINUED



PE-78 Cast
Heart Shape
14ky & w
15 - .05 ct rd.

DISCONTINUED



PE-9082 Cast
Heart Shape
14ky & w
25 - .05 ct rd.
Plat.

All the gold that makes up earrings and cufflinks and electronics components today originated in space: According to a 2011 paper in the Journal Nature, a meteor bombardment nearly 4 billion years ago brought 20 billion tons of a gold-and-precious-metal-rich space rock to Earth. Tracing gold's origin back even further takes us into deep space. A 2013 study in The Astrophysical Journal Letters found that all of the gold in the universe was likely birthed during the collisions of dead stars known as neutron stars.



PE-77 Cast
Heart Shape
14ky
50 - .01 ct rd.



PE-79 Cast
Heart Shape
14y & w
18-.03ct

Birthstones	
January	Garnet
February	Amethyst
March	Aquamarine
April	Diamond (cz)
May	Emerald
June	Alexandrite
July	Ruby
August	Peridot
September	Sapphire
October	Rose Zircon
November	Topaz
December	Blue Zircon

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed

CAST FANCY PENDANTS



PE-352 cast
3 stone pendant
50 ctw 14kw
1 - .10 ct
1 - .15 ct
1 - .25 ct



PE-370
3 stone pendant
14ky & w .25 ct - 2.00 ct



PE-400
Horse shoe pendant sm.
12 - .015 ct
14ky & w



PE-401
Horse shoe pendant med.
18 - .015 ct
14ky & w



PE-402
Horse shoe pendant lg.
25 - .015 ct
14ky & w



PE-410
.10 ct
14ky & w



PE-412
.12ct
14ky & w



PE-413
.50 ct
14ky & w



PE-415
.05 ct
14ky & w



PE-416
.02 ct
14ky & w



PE-417
.18 ct
14ky & w



PE-418
.20 ct
14ky & w



PE-419
.15ct
14ky & w



PE-420
6 - .01 ct
14ky & w



PE-421 SM
.05 ct
14ky & w



PE-422 LG
.05 ct
14ky & w



PE-425
Pearl peg
14ky & w



PE-430
.25 ct
14ky & w



PE-501
14kw .12tw
4 - .025 ct
4 - .006 ct
9 x 7



PE-502
14kw .12tw
12 x 10
8 x .004 ct

CAST SLIDES



SL-90
Pear shaped slide
.05 ct, .15 ct, .25 ct,
rd stone
14ky & w



SL-100
Round shaped slide
.05 ct to 2.00 ct
14ky & w



SL-101 - HVY.
Round shaped slide
.05 ct to 1.00 ct
14ky & w



SL-121
.33 ct tw
14w 1 - .15 ct
36 - .005 ct



SL-125
.15 ct to 2.00 ct
rd. stone
14ky & w



SL-156
V-end
Square Slide
2.5 mm to 7mm
14ky & w



SL-311
Cast
14ky & w .25ct
tw-1.00ct tw



SL-104 Cast
14kw
26 - .015 ct



SL-111 Cast
14kw
22 - .05 ct



SL-107 Cast
14kw
26 - .03 ct



SL-122
Cast
14kw
37 - .03 ct



SL-113 Cast
14kw
29 - .05 ct

SL-112 Cast
14kw
25 - .05 ct



SL-110 Cast
14kw
43 - .03 ct



SL-108 Cast
14kw
27 - .03 ct



SL-106 Cast
14kw
55 - .015 ct



SL-109 Cast
14kw
35 - .03 ct



SL-105 Cast
14kw
45 - .015 ct

SL-115 Cast
14kw
50 - .01 ct



CAST SLIDES



SL-312 Cast
3 stone round bezel slide
.50 ct TW, .75 ct TW,
1.00 ct TW
14ky & w



SL-356 Cast
3 stone square slide
2.5 - 3 - 3.5 mm
3 - 3.5 - 4 mm
14ky & w



SL-357 Cast
3 stone square slide
3 x 3 mm
14ky & w



SL-370 Cast
3 stone slide
.25 ct TW to 2.00 ct TW
14ky & w



SL-371 Cast
3 stone snowman
slide with bars
.50 ct TW, 1.00 ct TW
14ky & w



SL-449 Cast
1 - .25 ct, 6 - .02 ct
14ky & w



SL-464 Cast
42 - .0075 ct
14ky & w



SL-467 Cast
16 - .01 ct
14ky & w



SL-469 Cast
11 - .025 ct
14ky & w



SL-470 Cast
15 - .01 ct
14ky & w



SL-520 Cast
Leaf Slide
14ky & w



SL-521 Cast
Leaf Slide
14ky & w, 32-.01 ct



SL-525 Cast
Leaf Slide
14ky & w, 39-.125 ct



SLCS-10 Cast
14kw
28 - .01 CT



SL-6510 Cast
14kw
27 - .01 ct

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed



SL-8697 Cast
14ky
20 - .05 ct



SL-8710 Cast
14ky & w
22 - .07 ct
DISCONTINUED



SL-4371 Cast
14ky
22 - .15 ct



SL-8707
14ky & w
26 - .01 ct



SL-8708
14ky & w
20 - .025 ct



SL-8709
14ky & w
24 - .02 ct

CAST NECKLACES



CN-327 Cast
1 - .12 ct, 2 - .06 ct
14ky & w



CN-328 Cast
1 - .25 ct, 2 - .12 ct
14ky & w



CN-329 Cast
1 - .35 ct, 2 - .20 ct
14ky & w



CN-330 Cast
1 - .50 ct, 2 - .25 ct
14ky & w



CN-331 Cast
1 - .75 ct, 2 - .375 ct
14ky & w



CN-200/1- .25 ct
CN-200/2- .38 ct
CN-200/3- 1.00 ct
Cast 14ky

BOY & GIRL CHARMS



PE-8196 Cast
14y Boy
Plain Suit & Cap



PE-8197 Cast
14y Girl
with Pocket Dress



PE-8198 Cast
14y Boy
w/ Heart Suit & Cap



PE-8199 Cast
14y Girl
w/ Heart Dress & Hair

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed

CHARMS



CH-40/1
14ky sm.



CH-40/2
14ky lg.



CH-45/1
14ky sm.
Faith, Hope & Charity



CH-45/2
14ky med.
Faith, Hope & Charity



CH-45/3
14ky lg.
Faith, Hope & Charity

Crown Findings Co., Inc. | 44 West 47th St. | New York, NY 10036-2826 | Ph: 212.764.6470 | Fax: 212.764.6493

CHARMS



CH-50/1
14ky sm.
Praying Hands



CH-50/2
14ky med.
Praying Hands



CH-50/3
14ky lg.
Praying Hands



CH-52/1
14ky with Serenity
Prayer on back



CH-52/2
14ky with Serenity
Prayer on back



CH-52/3
14ky with Serenity
Prayer on back

PUFFED HEARTS



PH-20
14ky

DISCONTINUED



PH-25
14ky

DISCONTINUED



PH-55
14ky

DISCONTINUED

Chemical symbol of gold, Au. comes from Latin word "aurum" which means "shining dawn." It's a fitting name for such a radiant metal! Gold can be easily shaped and moulded because gold is so soft it can be easily shaped and moulded. This property make it perfect for crafting in tricate design in jewellery for forming coins with detailed engraving.

HEART SHAPE LOCKETS



LOH-900
14ky



LOH-901
14ky



LOH-902
14ky



LOH-903
14ky & w



LOH-904
14ky & w



LOH-905
14ky & w



LOH-906
14ky



LOH-907
14ky
4 Pictures

HEART SHAPE LOCKETS, CONT'D



LOH-909
14ky



LOH-910
14ky



LOH-911
14ky
.01 ct diamond



LOH-912
14ky
.01 ct diamond



LOH-913
14ky
.01 ct diamond



LOH-914
14ky & w
.01 ct diamond



LOH-915
14ky
.01 ct diamond



LOH-918
14ky
.22 ct TW diamond



LOH-921
14ky



LOH-922
14ky



LOH-923
14ky



LOH-924
14ky & w



LOH-927
14ky



LOH-928
14ky



LOH-930
14 kw



LOH-931
14 kw



LOH-933
14 ky
4 pictures

HEART SHAPE LOCKETS CONT'D



LOH-936
14ky
DISCONTINUED



LOH-942
14 kw



LOH-944
14 ky



LOH-943
14ky
DISCONTINUED



LOH-946
14ky



LOH-949
14ky



LOH-950
14ky



LOH-952
14ky



LOH-953
14ky



LOH-954
14ktt



LOH-955
14ky & w



LOH-956
14 kw



LOH-970
14ky & w



LOH-972
14ky
DISCONTINUED



LOH-973
14ky



LOH-974
14ky
4 pictures

OVAL SHAPED LOCKETS



LOO-800
14ky-Shiny



LOO-801
14ky-Shiny



LOO-802
14ky-Shiny



LOO-803
14ky & w-Shiny



LOO-804
14ky-Shiny



LOO-805
14ky-Shiny
4 pictures



LOO-806
14ky-Shiny
4 pictures

OVAL SHAPED LOCKETS CONT'D



LOO-808
14ky



LOO-810
14ky
.01 ct diamond



LOO-811
14ky
.01 ct diamond



LOO-812
14ky
.01 ct diamond



LOO-820
14ky
DISCONTINUED



LOO-821
14ky



LOO-822
14ky



LOO-823
14ky



LOO-824
14ky
4 pictures



LOO-825
14ky & w



LOO-826
14ky



LOO-827
14ky
4 pictures



LOO-834
14ky



LOO-835
14ky



LOO-836
14ky



LOO-837
14ky
1 - .01 ct Diam.



LOO-840
14ky



LOO-842
14ky & w



LOO-860
14ky



LOO-861
14ky
DISCONTINUED



LOO-844
14ky
4 pictures



LOO-846
14ky



LOO-845
14ky
DISCONTINUED



LOO-848
14ky
4 pictures



LOO-852
14ky
4 pictures



LOO-853
14kw

ROUND SHAPED LOCKETS



LOR-702
14ky



LOR-703
14ky



LOR-710
14ky
.01 ct diamond



LOR-720
14ky



LOR-721
14ky



LOR-730
14ky
DISCONTINUED



LOR-734
14ky



LOR-736
14ky

GENUINE AGATE & CAMEO LOCKETS



LOO-890
14ky



LOO-892
14ky



LOO-894
14ky



LOH-990
14ky

Gold's chemical symbol, Au, comes from the latin word for gold, aurum. In the Periodic Table of Elements, gold is classified as a transitional metal with the following characteristics:

Symbol: Au
Atomic number: 79
Atomic mass: 196.96655 amu
Number of protons/electrons: 79
Number of neutrons: 118
Melting point: 1,064.43°C
(1,337.58°K, 1,947.97°F)
Boiling point: 2,807.0°C
(3,80.15°K, 5,084.6°F)
Density @ 293°K: 19.32 grams per cubic centimeter
Crystal structure: cubic
oxidation states: +1, +3

THE CROWN CREDO
WHAT IS A CUSTOMER?

A Customer Is:

- the most important person ever in this office, either in person or otherwise.
- not dependent on us. We are dependent on him.
- not an interruption of our work; he is the purpose of it. We are not doing him a favor by serving him; he is doing us a favor by giving us an opportunity to do so.
- not an outsider to our business; he is part of it.
- not a cold statistic – a name on a filing card or a ledger sheet. He is a flesh-and-blood human being, with biases, prejudices, feelings and emotions like our own.
- not someone to argue with. Nobody ever won an argument with a customer.

A Customer Is:

a person who brings us his wants. It's our job to fill them profitably…to him and to ourselves.

FISHHOOK PEARL CLASPS



PC-10
14ky



PC-11
14ky



PC-8
14ky sm.
DISCONTINUED LIMITED



PC-28
14ky lg.



PC-6
14ky sm.



PC-9
14ky & w
DISCONTINUED LIMITED



PC-30
14ky **DISCONTINUED LIMITED**



PC-13
14ky & w



PC-16
14ky & w, 18ky ,YGF, S/S



PC-21
14ky & w



PC-18
14ky & w
DISCONTINUED



PC-19
14ky & w



PC-20
14ky & w



PC-24
14ky & w
1st
DISCONTINUED



PC-27
YGF, s/s

PEARL CLASPS



PC-52
14ky & w
1, 2, 3st
DISCONTINUED LIMITED



PC-53
14ky
1st
DISCONTINUED LIMITED



PC-56
14ky & w
1, 2, 3st
DISCONTINUED LIMITED



PC-57
14ky & w
1, 2, 3st
DISCONTINUED LIMITED



PC-58
14ky 2st
14ky & w 3st
DISCONTINUED LIMITED



PC-43
14ky & w
1, 2st



PC-44
14ky & w
YGF, S/S 1, 2, 3st
YGF 3st **DISCONTINUED LIMITED**



PC-45
14ky & w
1, 2st
3st **DISCONTINUED LIMITED**



PC-35
14ky
3st
DISCONTINUED LIMITED



PC-36
14ky & w
3st
DISCONTINUED LIMITED



PC-37
14kw 3st
YGF, S/S, 2, 3st



PC-60
14ky & w
1, 2st
3st **DISCONTINUED LIMITED**



PC-61
14ky & w
1, 2, 3st
DISCONTINUED LIMITED



PC-40
14kw
3, 5st
DISCONTINUED LIMITED



PC-41
s/s 4, 5st
YGF 3, 5st
DISCONTINUED



PC-51
14ky & w
1, 2, 3st
DISCONTINUED LIMITED

Gold's many unique properties have secured it a central role in history and human development. Gold is a remarkable, rare metal, with an unparalleled combination of chemical and physical properties. It is the only yellow metal and bears its name from the Old English word for yellow, 'geolu'. It is also the only metal that forms no oxide film on it's surface in air at normal temperatures, meaning that it will never rust or tarnish.

PEARL CLASPS, CONT'D



PC-63
14ky & w
2st
DISCONTINUED LIMITED



PC-64
14ky
2, 3st
DISCONTINUED LIMITED



PC-204
14ky
3st



PC-66
14ky
1st sm.
DISCONTINUED



PC-83
14ky
1, 2, 3st
s/s, Vermeil 1st
DISCONTINUED LIMITED



PC-82
14ky
1st
DISCONTINUED LIMITED



PC-201
14ky
1st



PC-88
14ky
2,3st
DISCONTINUED



PC-85
14kw
1st
DISCONTINUED LIMITED



PC-86
14ky
2,3st
DISCONTINUED LIMITED



PC-202
14ky sm.
1st



PC-202
14ky lg.
1st



PC-68
14ky
1,2st
DISCONTINUED LIMITED



PC-69
14ky
1,2,3st
DISCONTINUED LIMITED

CLASPS WITH CULTURED PEARLS



CP-84
14ky
2st
DISCONTINUED LIMITED



CP-16
14ky
DISCONTINUED LIMITED



CP-18
14ky
DISCONTINUED LIMITED



CP-19
14ky & w
DISCONTINUED LIMITED



CP-20
14ky & w
DISCONTINUED LIMITED



CP-43
14ky & w
1,2st
DISCONTINUED LIMITED



CP-44
14ky & w
1,2,3st
DISCONTINUED LIMITED

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed



CP-46
14ky
1,2st
DISCONTINUED LIMITED



CP-70
14ky & w
1st
DISCONTINUED LIMITED



CP-71
14ky
1st
DISCONTINUED



CP-77
14ky
1,2,3st
DISCONTINUED LIMITED



CP-76
14ky & w
1, 2, 3st
DISCONTINUED LIMITED



CP-79
14ky
2st
DISCONTINUED LIMITED

BAYONET CLASPS



PC-48
14kw- 2st
14ky & w-3st
DISCONTINUED LIMITED



PC-49
14ky & w-3st
14ky & w-4st
14ky - 5st
DISCONTINUED LIMITED

S/S CLASPS SINGLE ST.



PC-529-C
s/s
DISCONTINUED LIMITED



PC-560-C
s/s
DISCONTINUED LIMITED

Only approximately 142,000 tons of gold have mined throughout history. Assuming the price of gold is $1,000 per ounce, the total amount of gold that has been mined would equal roughly $4.5 trillion. The United States alone circulates or deposits over $7.6 trillion, suggesting that a return to the gold standard would not be feasible. While most scholars agree a return to a gold standard is not feasible, a few gold standard advocates (such as many Libertarians and Objectivists), argue that a return to a gold standard system would ease inflation risks and limit government power.

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed

MYSTERY CLASPS



PC-MUC
Brass

SILVER TOGGLE CLASPS



TSN-24
Hollow
s/s circle



TSN-25
Hollow
s/s bar

FISHHOOKS



CK-10
14ky & w



CK-11
14ky & w
s/s, YGP



CK-12
14ky & w
DISCONTINUED LIMITED

BEAD TIPS



BT-1
14KY & W



BT-3
S/S

BEAD CLASPS



BC-10
14ky
6mm



BC-10
14ky
7mm



BC-10
14ky & w
8mm



BC-10
14ky & w
9mm



BC-10
14ky & w
10mm



BC-10
14ky
12mm



BC-11
14ky & w
6mm



BC-11
14ky & w
7mm



BC-11
14ky & w
8mm



BC-11
14ky & w
9mm



BC-11
14ky & w, s/s
10mm

FLAT FANCY BEAD CLASPS



BC-17
14ky 7mm

DIVIDERS



PC-90 14ky, w & s/s
4mm/2st
DISCONTINUED



PC-90 14ky & w
5mm/2st
DISCONTINUED



PC-90 14ky & w
6mm/2st
DISCONTINUED




PC-90 14ky & w
7mm/2st
DISCONTINUED



PC-90 14ky & w
8mm/2st
DISCONTINUED



PC-91 14ky, w
4mm/3st
DISCONTINUED



PC-91 14ky
4.5mm/3st
DISCONTINUED



PC-91 14ky & w
5mm/3st
DISCONTINUED



PC-91 14ky & w
6mm/3st
DISCONTINUED



PC-91 14kw
7mm/3st
DISCONTINUED



PC-91 14kw
8mm/3st
DISCONTINUED



PC-92 14ky, w
4mm/4st
DISCONTINUED



PC-92 14ky, w
5mm/4st
DISCONTINUED




PC-92 14ky, w
6mm/4st
DISCONTINUED



PC-92 14ky, w
7mm/4st
DISCONTINUED



PC-92 14ky, w
8mm/4st
DISCONTINUED



PC-93 14ky, w
5mm/5st
DISCONTINUED

ENHANCERS & PEARL SHORTENERS



PB-SOB
18ky Sm.



PB-SOB
14kw Lg.
DISCONTINUED
LIMITED



EH-11
14ky & w



EH-12
14ky



EH-21
14ky & w



EH-20/1
14ky & w, s/s



EH-23
14ky



EH-24
14ky & w & vermeil



EH-33
Cast 14ky
DISCONTINUED



EH-55
14ky



EH-56
14ky & w, s/s
& vermeil

PEARL SHORTENERS



PS-37/1
14ky



PS-37/2
14ky

PEARL SHORTENERS CONT'D



CP-13
14ky & w
DISCONTINUED
LIMITED



CP-14
14ky & w
DISCONTINUED
LIMITED



CP-15
14ky & w
DISCONTINUED
LIMITED



PS-40
14ky
DISCONTINUED
LIMITED



PS-50
14ky & 18ky



PS-51
14ky

TUBULAR BOX LOCKS



SN-10 14ky & w
18ky 2mm



SN-10 14ky & w
18ky 3mm



SN-10 14ky, s/s 4mm



SN-11 14ky
2mm w/ split ring
DISCONTINUED



SN-11 14ky
3mm w/ split ring
DISCONTINUED



SN-12 14ky 2mm



SN-12 14ky 3mm



SN-12 14ky 4mm



SN-13 14ky
2mm



SN-13 14ky
3mm



SN-13 14ky
4mm



SN-13 14ky
4.5mm



SN-13 14ky
5.5mm



SN-13 14ky
6mm



SN-13 14ky
7mm



SN-13 14ky
8mm

CLOSED TOP SNAPS



SN-15B 14ky & w
2mm



SN-15P 14ky
2mm



SN-15 14ky
3mm



SN-15 14ky
3.5mm

CLOSED TOP SNAPS, CON'T



SN-17 14ky & w, 18ky
2mm



SN-17 14ky & w, 18ky
3mm



SN-17 14ky & w, 18ky
3.5mm



SN-17 14ky & w, 18ky
5mm



SN-17 14ky & w, 18ky
6mm



SN-17 14ky & w, 18ky
7mm



SN-17 14ky
8.5mm



SN-17 14ky
10.75mm



SN-17 14ky
12.75mm



SN-17 14ky
15.75mm

TONGUES FOR CLOSED TOP SNAPS



SN-10T
14ky & w, 2mm



SN-10T
14ky & w, 3mm



SN-10T
14ky, 4mm



SN-15T
14ky, 3mm

SN-15T
14ky, 3.5mm

SN-17T
14ky, 2mm

SN-17T
14ky, 3mm

SN-17T
14ky, 3.5mm

SN-17T
14ky, 5mm

OPEN TOP SNAPS



SN-26B 14ky
5.5mm Box



SN-26T 14ky
5.5mm Tongue



SN-26B 14ky
8mm Box



SN-26T 14ky
8mm Tongue



SN-26B 14ky
10mm Box



SN-26T 14ky
10mm Tongue



SN-26B 14ky
12mm Box



SN-26T 14ky
12mm Tongue



SN-27B 14ky, 18ky
3.25mm Box
18ky **DISCONTINUED LIMITED**



SN-27T 14ky, 18ky
3.25mm Tongue
18ky **DISCONTINUED LIMITED**



SN-27B 14ky, s/s
4mm Box



SN-27T 14ky, 18ky, s/s
4mm Tongue
18ky **DISCONTINUED LIMITED**



SN-27B 14ky, s/s
5.25mm Box



SN-27T 14ky, 18ky
5.25mm Tongue
18ky **DISCONTINUED LIMITED**



SN-27B 14ky, s/s
6.25mm Box



SN-27T 14ky, 18ky, s/s
6.25mm Tongue
18ky **DISCONTINUED LIMITED**



SN-27B 14ky, 18ky, s/s
8mm Box
18ky **DISCONTINUED LIMITED**



SN-27T 14ky, s/s
8mm Tongue



SN-27B
14ky, 18ky, s/s
10mm Box



SN-27T
14ky, 18ky, s/s
10mm Tongue



SN-27B
14ky, s/s
12mm Box



SN-27T
14ky, s/s
12mm Tongue



SN-27B
14ky, s/s
14mm Box



SN-27T
14ky, s/s
14mm Tongue



SN-27B
14ky
16mm Box



SN-27T
14ky
16mm Tongue



SN-27B
14ky, s/s
18mm Box



SN-27T
14ky, s/s
18mm Tongue



SN-28B 14ky & w
3.25mm Box
18ky **DISCONTINUED**



SN-28T 14ky & w
3.25mm Tongue
18ky **DISCONTINUED**



SN-28B 14ky & w
4mm Box
18ky **DISCONTINUED**



SN-28T 14ky & w
4mm Tongue
18ky **DISCONTINUED**



SN-28B 14ky & w
5.25mm Box

SN-28T 14ky & w
5.25mm Tongue



SN-28B
14ky & w
6.25mm Box



SN-28T
14ky & w
6.25mm Tongue



SN-28B
14ky & w
8mm Box



SN-28T
14ky & w
8mm Tongue



SN-28B
14ky & w
10mm Box



SN-28T
14ky & w, 18ky
10mm Tongue

TENNIS BRACELET SNAPS



SN-52/5
.030 Small
18kw

SN-52/6
.030 Large
18kw fits SN-53/0

SN-52/7
.030 fits SN-53/0, SN-56/1
14kw, 18kw

SN-52/0
Single-sided .030 fits
SN-53/0, SN-56/1
14kw

SN-52/040
Single-sided .040 fits
SN-53/0, SN-56/1
14kw

SN52R/0
Single-sided .030 fits
SN-56/1, SN-53/0
14kw

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed

TENNIS BRACELET SNAPS, CONT'D



SN-52/0
.030 fits SN-53/0, SN-56/1
18kw, Plat.



SN-52/040
.040 fits SN-53/0
18kw



SN-53/0 Plate
14ky & w



SN-52/1
.030 fits SN-53/1
14kw, 18kw & Plat.



SN-53/1 Plate
14ky & w



SN-52/140
.040 fits SN-53/2,SN-54/140
14kw, 18kw



SN-54/140
Box
14ky & w, 18ky



SN-52/2
.040 fits SN-53/2,
SN-54/240
14kw & 18kw



SN-53/2 Plate
14ky & w



SN-54/240
Box
14ky & w, 18ky



SN-52/3
.040 fits SN-53/3
14kw & 18kw



SN-53/3 Plate
14ky & w



SN-56/1
Box Large
14ky & w, 18ky & w,
Plat. Fits SN-52/0



SN-56/2
Safety Large
14ky & w, 18ky & w,
Plat.



SN-57/1
Box Small
14ky & w, 18ky & w
Fits SN-52/7



SN-57/2
Safety Large
14ky & w, 18ky & w



SN-58/1 Box
14ky & w, 18ky & w
Fits SN-52/0 18kw



SN-58/2 Safety
14ky & w, 18ky & w



SN-59/1 Box
14ky & w, 18ky & w
Fits SN-52/040 18kw



SN-59/2 Safety
14ky & w, 18ky & w



SN-60/1 Box
14ky & w, 18ky & w
Fits SN-52/140



SN-60/2 Safety
14ky & w, 18ky & w



SN-61/1 Box
14ky & w, 18ky & w
Fits SN-52/3



SN-61/2 Safety
14ky & w, 18ky & w



FIG-8 Small
14ky & w, 18ky & w



FIG-8 Large
14ky & w, 18ky & w,
s/s



FIG-8 X Large
14ky & w, s/s



SN-50
14ky & w
3mm



SN-50
14ky & w, s/s,
4mm



SN-50
14ky & w
5mm



Karat Weight Conversions		
To Convert from	To	Multiply By
14K	10K	.888
14K	18K	1.153
14K	22K	1.350
14K	24K	1.480
14K	Plat	1.652
14K	Sterling	.782
14K	Palladium	.920

Conversions are approximate

Platinum has a rich and noble history. It was first used by the ancient Egyptians about three thousand years ago. Eight hundred years later, the South American Incas worked with platinum. The first platinum jewelry in Europe appeared around the year 1780, at the court of Louis XVI of France.

CAST SWIVEL LOCKS



SH-39/0
14ky 10.5 x 4.5mm
DISCONTINUED LIMITED



SH-39/1
14ky
11.8 x 5.5 mm



SH-39/2
14ky
13.5 x 6.3mm



SH-39/4
14ky
19 x 9.5mm

LOBSTER LOCKS



SH-37/1
14ky & w
4 x 7mm



SH-37/2
14ky & w
4.8 x 8.2mm



SH-37/4
14ky & w
8 x 10mm



SH-37/5
14ky
7 x 12mm



SH-37/6
14ky
8.8 x 14.5mm



SH-40/2
14ky & w, 18ky & w,
S/S, Plat 8 x 3.8mm



SH-40/4
14ky & w, 18ky & w,
Plat 9mm **DISCONTINUED**



SH-37/4R
14ky 8 X 10mm



SH-40/5R
S/S 8.2 X 4.8mm



SH-40/6R
S/S 10.2 X 6mm



SH-40/7R
S/S 12 X 6mm



SH-40/8R S/S
14.6 X 6.7mm



SH-40R/4 14kp, 18kp



SH-41/1 14ky & w,
18ky 6.4 x 10.7mm



SH-41/2 14ky & w,
18ky 7.9 x 13.6mm



SH-41/3 14ky & w
7.9 x 13.6mm



SH-41/4 14ky
9.5 x 16mm



SH-41/5 14ky & w
10.5 x 18mm



SH-42
14ky
6.6mm, 8.78mm

SH-45/0
14ky & w
7 x 2.7mm



SH-45/1
14ky & w, pink
18ky & w, pink
Plat, s/s, YGF 8 x 3mm



SH-45/2
14ky & w. pink
18ky & w, pink, Plat, s/s, YGF
10 x 4mm



SH-45/3
14ky & w, pink
18ky & w, s/s, YGF
12 x 4mm



SH-45/5
14ky, w & pink
18ky & w, s/s, YGF
14 x 5.5mm



SH-45/6
14ky & w, s/s
16 x 6mm



SH-45/7
14ky, s/s
16 x 8mm



SH-45/8
14ky, s/s
18.3 x 9mm



SH-47/1
14ky
12.6 x 7.3mm



SH-47/3
14ky
17 x 9mm



SH-47/4
14ky
17.4 x 10mm



SH-47/5
14ky
21 x 11mm



SH-48/3
s/s 9mm



SH-48/4
14ky & w, 18 ky & w,
s/s 11mm
Plat. **DISCONTINUED**



SH-48/5
14ky & w, 18ky & w,
s/s 13mm



SH-48/7
14ky, s/s
16mm



SH-44/4
14ky Spring & Link
Sold Complete

SH-44/5
14ky Spring & Link
Sold Complete

SH-44/6
14ky Spring & Link
Sold complete

SH-44/7
14ky Spring & Link
Sold complete

ROUND ID CLASPS

SH-830
14ky
3mm

SH-840
14ky
4mm

SH-845
14ky
4.5mm

SH-850
14ky
5mm

END CAPS


SH-51 2mm
14ky & w


SH-51 2.5mm
14ky & w


SH-51 3mm
14ky & w, s/s


SH-51 3.5mm
14ky & w, 18ky


SH-51 4mm
14ky & w, 18ky, s/s


SH-51 5mm
14ky & w, 18ky, s/s


SH-51 6mm
14ky & w, s/s


SH-51 7mm
14ky & w, s/s


SH-51 8mm
14ky & w, s/s


SH-51 9mm
14ky & w


SH-51 10mm
14ky & w



SH-51 12mm
14ky & w


SH-52/0 1.5mm
14ky & w


SH-52/1 2mm
14ky & w


SH-52/2 2.5mm
14ky & w


SH-52/3 3mm
14ky & w


SH-52/5 4mm
14ky & w

SPRING RINGS


SR-10 4.5mm reg. wt.
14ky & w, 18ky & w


SR-10 5mm reg. wt.
14ky, w & pink, 18ky & w, Plat., YGF


SR-10 5.5mm reg. wt.
14ky & w, 18ky & w, YGF


SR-10 6mm reg. wt.
14ky & w, 18ky & w


SR-12 5mm hvy wt.
14ky, S/S


SR-12 5.5mm hvy wt.
S/S


SR-12 6mm hvy wt.
14ky


SR-12 7mm hvy wt.
14ky & w, YGF, S/S


SR-12 8mm hvy wt.
14ky & w, 18ky,s/s


SR-12 10mm hvy wt.
14ky & w, s/s


SR-12 12mm hvy wt.
14ky & w

FANCY SPRING RINGS


SR-21 14mm
Hvy Wt. 14ky


SR-21 16mm
Hvy Wt. 14ky


SR-21 18mm
Hvy Wt. 14ky


SR-21 22mm
Hvy Wt 14ky


SR-22 16mm
Hvy Wt. 14ky
w/ end cups


SR-22 18mm
Hvy Wt 14ky
w/ end cups


SR-22 22mm
Hvy Wt 14ky
w/ end cups


SR-24 10mm
spring ring
14ky


SR-24 12mm
spring ring
14ky


SR-25 11mm
Hvy Wt 14ky, s/s


SR-25 12mm
Hvy Wt w/ end hoops
14ky, S/S

SR-25 14mm
Hvy Wt. w/ end hoops
14ky, S/S

SPLIT RINGS



SR-25L 12mm
Hvy Wt. w/ end hoops, S/S



SR-25 16mm
Hvy Wt. w/ end hoops S/S



SR-25 18mm
Hvy Wt. w/ end hoops, S/S

HEART SHAPE PUSH LOCK



PL-10 9.5mm
14ky



PL-10/1 13.20mm
14ky

ROUND PUSH LOCK



PL-20 12mm
14ky, 18ky



PL-20/1 14mm
14ky



PL-20H 12mm
14ky & pink, 18ky



PL-21 15mm
14ky

OVAL PUSH LOCK



PL-30 11.50mm
14ky



PL-31
10.5 x 5 x 2mm
14ky

RECTANGULAR PUSH BACK



PL 40 6mm
14ky

HEXAGONAL PUSH LOCK



PL41D 40 - .005ct
14ky

CHAIN TAGS



CT-0 14ky



CT-10 closed medium
14ky & w, 18kw

SAFETY CHAINS



SC-36 2.5 in.
14ky & w, YGF, S/S



NE-EXT-3
3 in. 14ky, w & pink



JR-10 Sm 4.9mm
14ky & w, YGF, S/S



JR-10 Med 6.5mm
14ky & w, YGF, S/S



JR-10 Med 7mm
14ky & w, YGF, S/S



JR-10 Lg. 8mm
14ky & w, YGF, S/S



JR-13 Sm 3.6 x 5.8mm
14ky, YGF, WGF



JR-13 Med 4.9 x 6.8mm
YGF



JR-13 Lg 5.1 x 8.2mm
YGF

JUMP RINGS



JR-020 2mm
Plat.



JR-020 2.5mm
14ky & w, 18kw, YGF, s/s



JR-020 3mm
14ky & w, Plat., YGF



JR-020 3.5mm
14ky & w, YGF



JR-020 4mm
14ky & w



JR-025
2.5mm 14kp, 18ky



JR-025 3mm
14ky & w, 14 pink, 18ky, w & pink, Plat.



JR-025 3.5mm
14ky, w & p, 18ky, w & pink , Plat., YGF, s/s



JR-025 4mm
14ky,w & pink, 18ky, w & pink



JR-025 4.5mm
14ky & w, 18ky, s/s



JR-025 5mm
18ky, w



JR-025C 4mm
14ky & w



JR-025C 4.5mm
14ky & w



JR-030 4mm
Plat., 14ky & w



JR-030 4.5mm
Plat.



JR-030 5mm
18ky

JR-030 5.5mm
14ky & w, s/s, YGF

JR-030 6mm
14ky & w, 18ky & w, YGF, s/s

JR-030C 5mm
14ky & w

JR-035 4.5mm
14ky & w

JR-035 6mm
14ky & w, YGF

JR-035 7mm
14ky & w, YGF

JR-035 8mm
14ky & w

JR-040 5mm
s/s

JR-10 sm
WGF

JR-10 4.9mm
14ky & w, s/s, YGF

JR-10 6.5mm
14ky & w, s/s, YGF

JR-10 7mm
s/s

JR-10 8mm
14ky & w, s/s, YGF

OVAL JUMP RINGS

JR-13 5.8 x 3.6mm
14ky, YGF,WGF

JR-13 6.8 x 4.9mm
YGF

JR-13 8.2 x 5.1mm
YGF

JR-025 3.25 x 2.5mm
s/s

JR-025 4.50 x 3.25mm
YGF

JR-035 6 x 4.25mm
YGF

JR-035 7 x 5mm
YGF

CHAINS BY THE FOOT
Machine made rope



FC-6R .5mm
14ky



FC-8R 1mm
14ky & w, YGF, S/S



FC-9R 1.1mm
14ky & w, 18ky, YGF, S/S



FC-11R 1.25mm
14ky & w, 18ky, YGF, S/S, Plat.



FC-13R
1.75mm
14ky & w, 18ky, YGF, S/S



FC-15R 2.5mm
14ky & w, YGF, S/S

BRACELET



BR-ENT-EYE
Torquise enameled evil eye bracelet
14ky



BR-EB
Enamel bead bracelet
7.5" || 0.30 gauge
14ky
Cobalt, Turquoise & White



BR-CR-T
Turquoise enamel sideways cross bracelet
7.5" 14ky

ANKLET



AN-EC
assembled enamel Bead Anklet
10"||0.3 Gauge
14ky
Turquoise, Cobalt and white

SCREW WIRE



FC-415 2.40mm
14ky, w, pink

DISCONTINUED LIMITED



FC-416 3.50mm
14ky & w

DISCONTINUED LIMITED



FC-417 4.12mm
14ky & w

DISCONTINUED LIMITED

CABLE



FC-10-20 1.32mm
14ky



FC-11-32 1.12mm
14ky, w & Pink, 18ky, w & Pink, Plat.



FC-13-22 1.42mm
14ky, w & Pink, 18ky, w, Plat., S/S, YGF



FC-13-32 1.3mm
14y & w



FC-15-23 1.52mm
14ky, w & Pink, 18ky, w & Pink, Plat, S/S, YGF



FC-15-16 1.40mm
14ky & w



FC-17-16 1.93mm
14ky & w, 18ky & w



FC-18-22 1.8mm
14ky & w, 18ky & w



FC-20-21 1.90mm
14ky & w, 18ky & w, s/s, YGF



FC-25-16 2.41mm
14ky & w



FC-32-10
s/s 4.72 X 6.5mm

CABLE CHAINS WITH LOBSTER LOCKS, QUALITY TAGS & SOLDERED JUMP RING




NC-11-32 14ky & w,18ky & w, 16" & 18"

NC-13-22 14ky & w,18ky & w, 16" & 18"



NC-15-23 14ky & w,18ky & w, s/s, 16" & 18"



NC-18-22 18ky & w 16", 18" 1.8mm



NC-20-21 18ky & w 16", 18" 1.90mm



CARDED CHAINS, ROPE CHAINS WITH SPRING RING, QUALITY TAG & SOLDERED JUMP RING

NC-406
14ky – 15", 16", 18", 20", 24"



NC-407
14ky – 15", 16", 18", 20", 24"
14kw – 15", 16", 18"



NC-408
14ky – 15", 16", 18", 20", 24"
14kw – 15", 16", 18", 20"



NC-409
14ky – 15", 16", 18", 20", 24"
14kw – 15", 16", 18", 20", 24"



NC-411
14ky – 15", 16", 18", 20", 24"
14kw – 15", 16", 18", 20", 24"



NC-413
14ky – 15", 16", 18", 20", 24"
14kw – 15", 16", 18", 20"



NC-200
14Ky 16", 18"





NC-346
14kp 18" 14ky & w



NC-B-L
Assembled adjustable necklace with silicon bead
22" || 2.05mm
14k Pink , 14ky & 14kw



NC-BAL
1 mm assembled bead chain
18"||1mm
14ky



NCCUR
Assembled curb chain with lobster lock
18", 20"
3.7mm, 4.5mm, 4.95mm, 7.0mm
14ky



NCFIG
Assembled Figaro chain with lobster lock
18", 20"
2.35mm, 3.2mm, 3.9mm, 4.75mm, 5.8mm
14ky



NCRDC
Diamond cut rope chain with lobster lock
18", 20", 22"
2.3mm || .018 GAUGE, 4.4mm || .035 GAUGE
14ky

NCMR
Assembled puff marnier necklace
18"
3.7mm,4.5mm
14ky



NCPC- 3.8
Assembled hollow 1+1 paper clip necklace
18"-3.7mm, 4.5mm, 4.95mm
20"-7.0mm
14ky



NCPC - 3.9
Assembled hollow 3+1 paper clip necklace
18" || 0.090 gauge
14ky



NCROL
Rolo chain with lobster lock hollow
18"|| 2.5mm, 18" || 5.2mm
14ky



TWO HOLE

B-10 2mm
14ky sm. hole

B-10 2.5mm
14ky & w sm. hole

B-10 3mm sm. hole
14ky & w, S/S

B-10 3mm lg. hole
14ky, YGF

B-10 4mm sm. hole
14ky, YGF, S/S

B-10 4mm lg. hole
14ky & w

B-10 5mm sm. hole
14ky, YGF

B-10 5mm lg. hole
14ky

B-10 6mm lg. hole
14ky, YGF, s/s

B-10 7mm lg. hole
14ky, YGF, s/s

B-10 8mm lg. hole
14ky, YGF, s/s

B-10 9mm lg. hole
14ky, YGF

B-10 10mm lg. hole
14ky, YGF, s/s

STRAIGHT CORRUGATED

B-13 4mm
14ky

B-13 5mm
14ky

B-13 6mm
14ky

B-13 7mm
14ky

B-13 8mm
14ky

FLAT FANCY BEADS

B-17 7mm
14ky

SHINY RONDELLES

B-16 3mm
14ky

B-16 4mm
14ky

B-16 5mm
14ky

B-16 7mm
14ky

B-16 8mm
14ky

PINS



P-90 N/S
1", 1/4", 1 1/2"

STRAIGHT CORRUGATED

B-20 4mm
14ky

B-20 5mm
14ky

B-20 9mm
14ky

B-20 10mm
14ky

JOINTS, PINS, CATCHES

J-10
14ky & w

J-11
14ky & w, Plat., s/s

SC-15
side open
14ky & w, Plat., S/S




P-10


DOUBLE PINS




DP-1
14ktt, 18ktt
1 3/8" - .045




DP-2
14ktt, 18ktt
1.5" - .045



DP-3
14ktt, 18ktt
1 5/8" - .045



DP-4
14ktt, 18ktt
1 7/8" - .050



DP-5
14ktt, 18ktt
2" - .050

DOUBLE CATCHES



DC-1
14ky & w, 18ky & w



DC-2
14ky & w, 18ky & w

HEAD PINS



HP-10 14ky 1/2"
.020 wire/.050 head

3/4" 14ky

1" 14ky & w

HP-12
14ky

7/8 14y

-1.1/4 14y

Size	Thick	Metal
3/4"	.030	14ky, 18ky, Plat
1"	.031	n.s., Plat
1 1/8"	.031	14ky
1 1/4"	.033	14ky & w, 18ky & w, n.s.
1 1/2"	.033	14kw, 18ky
1 3/4"	.035	18kw

P-10

TENNIS MOUNTINGS



TN-BRD
Half Way Tennis bracelet with design
14ky & w

- 0.81 cttw ||7"
- 1.26 cttw ||7"



TN-BRD3
Half Way Tennis bracelet with 3-Station design
14ky & w

- 0.81 cttw ||7"
- 1.26 cttw ||7"



TN-BR4
4 Prong lightweight Tennis bracelet with box lock
14ky & w

- 1.25 cttw || 7"
- 2.20 cttw || 7"
- 2.50 cttw || 7"
- 3.00 cttw || 7"
- 4.00 cttw || 7"
- 4.50 cttw || 7"
- 5.00 cttw || 7"
- 7.00 cttw || 7"
- 9.00 cttw || 7"
- 10.00 cttw || 7"



TN-BR5
Half 4 Prong Heavyweight tennis bracelet with V Lock
14ky & w

- 4.00 cttw || 7"
- 5.50 cttw || 7"
- 6.00 cttw || 7"
- 7.00 cttw || 7"
- 8.00 cttw || 7"
- 8.50 cttw || 7"
- 9.50 cttw || 7"
- 11.50 cttw || 7"



TN-BR6
4-Prong European tennis bracelet
14kw, 18kw

- 2.00 cttw || 7"
- 2.50 cttw || 7"



BA-FL1
Flexible bangle bracelet
14ky & w

- 1.53 cttw || 7"
- 2.18 cttw || 7"
- 2.34 cttw || 7"
- 2.68 cttw || 7"
- 3.72 cttw || 7"
- 3.92 cttw || 7"
- 5.10 cttw || 7"
- 5.52 cttw || 7"

SOLDER

AVAILABLE IN APPROXIMATE 1 DWT PIECES, CUT PIECES, AND PASTE IN SYRINGES (1 DWT)

Karat Solder



Solder For Platinum



Silver Solder



Karat Solder (Cut Pieces)



Karat Solder			
Regular	Melting Point (°F)	Plumb	Melting Point (°F)
6 Yellow Repair	1150	6 Yellow Soft	1350
6 Yellow Soft	1260	10 Yellow Soft	1375
6 White Soft	1300	10 Yellow Hard	1475
8 Yellow Soft	1225	10 White Soft	1390
8 Yellow Soft Easy	1225	10 White Hard	1570
8 White Soft	1270	12 Yellow Soft	1410
10 Yellow Soft	1195	12 Yellow Hard	1500
10 Yellow Soft Easy	1170	14 Yellow Soft	1340
10 Yellow Medium	1325	14 Yellow Medium	1390
10 Yellow Hard	1400	14 Yellow Hard	1480
10 White Soft	1290	14 White Soft	1390
10 White Medium	1360	14 White Medium	1450
10 White Hard	1365	14 White Hard	1570
10 Green Soft	1390	18 Yellow Soft	1430
12 Yellow Soft	1250	18 Yellow Medium	1475
12 Yellow Hard	1465	18 Yellow Hard	1550
12 White Soft	1305	18 White Soft	1460
12 White Hard	1335	18 White Medium	1535
14 Yellow Soft	1320	18 White Hard	1590
14 Yellow Medium	1355	18 Green Hard	1450
14 Yellow Hard	1430		
14 White Soft	1305		
14 White Medium	1395		
14 White Hard	1420		
14 Yellow Repair	1185		
14 Pink Soft	1165		
14 Green Soft	1405		
18 Yellow Soft	1420		
18 Yellow Hard	1460		
18 Yellow Weld	1485		
18 White Soft	1325		
18 White Medium	1330		
18 White Hard	1575		
18 Green Soft	1530		
20 AA White	1630		

Solder for Platinum		
Platinum	Melting Point (°F)	Melting Point (°F)
1000 1010 1025	1000 1010 1025	1832
1100	1100	2012
1200	1200	2192
1300	1300	2372
1400	1400	2552
1500	1500	2732
1600	1600	2812
1700	1700	3092
Weld	1650	3002

Silver Solder Cadmium Free	
Silver	Melting
Soft	1150
Medium	1265
Hard	1365

6 Yellow Soft
6 Yellow Repair
6 White Soft
8 Yellow Soft
8 White Soft
10 Yellow Soft
10 Yellow Hard
10 White Soft
12D Yellow Soft
14 Yellow Soft
14 Yellow Medium
14 Yellow Hard
14 White Soft
14 White Med
14 White Hard

Platinum C Series	
C-1000	Extra Easy Plat
C-1100	Easy Plat
C-1200	Medium Plat
C-1300	Plumb Easy Plat
C-1300	Hard Plat
C-1400	Plumb Plat
C-1400	X Hard
C-1400	Plumb Medium
C-1500	Hard Plumb Plat
C-1500	Weld Plat
C-1600	Special Weld Plat
C-1700	Plat

Unit Conversions			
1 Troy Oz.	31.1048 Grams	1 Pennyweight	.05 Troy Oz.
1 Pennyweight	1.555 Grams1 Troy Oz.	20 Pennyweight	
1 Gram	.643 Pennyweight	1 Inch	25.4 Millimeters
1 Gram	.03215 Troy Oz.	1 MM.03937 Inches	
1 Troy oz.	1.097 Avoir Oz.	1 Sq. Millimeter	.00155 Sq. Inches
1 Avoir Pound	14.5833 Troy Oz.	1 Inch Dia. (Round)	3.14 Inches Length

14KY SOLID RELIGIOUS MEDALS

M-10
Miraculous



1 — 12mm
2 — 15mm
3 — 18.5mm
4 — 22mm
5 — 25mm
6 — 29mm

M-13
Scalloped



15mm
1 — 12mm
2
3 — 18.5mm

OTHER ROUND



M-12	M-14	M-15	M-17	M-25	M-26	M-34	M-61	M-62
St. Nicholas	St. Anthony	St. Christopher	St. Florian	St. Joseph	St. Jude	St. Michael	First Holy Communion	Holy Communion
Available Sizes: 3 Only	1, 2, 3, 4, 5	1, 2, 3, 4, 5	1, 2, 3, 4, 5	1, 2, 3, 4, 5	1, 2, 3, 4, 5	1, 2, 3, 4, 5	1, 2, 3, 4	1, 2, 3, 4

OTHER ROUND



M-63	M-65	M-66	M-190	M-75	M-75	M-76
Confirmation	St. Teresa	Mother Teresa	Guardian Angel			
Available Sizes: 1, 2, 3, 4	1, 2, 3	3 Only	1, 2, 3, 4	2	3	1

St. Florian
M-17



7 — 30 x 20mm
8 — 17 x 17mm
9 — 25 x 25mm

St. Michael
M-34



7 — 14 mm
8 — 20 mm

OM-10
Miraculous



Small
12 x 9mm
19 x 14mm
23 x 16mm
30 x 20mm

OM-10
1 — 9 x 6mm
2 — 15 x 11mm
3
4 — 21 x 15mm
5
6 — 25 x 18mm
7

OM-11
Scalloped



2 — 15 x 11mm
3 — 19 x 14mm
4 — 21 x 15mm

14KY SOLID
RELIGIOUS MEDALS, CON'T

St. Christopher
OM-12



small 9 x 6mm | 1 12 x 9mm | 2 15 x 11mm | 3 19 x 14mm | 4 21 x 15mm | 5 23 x 16mm | 6 25 x 18mm | 7 30 x 20mm

Miraculous
OM-20



1 20 x 16mm | 2 22 x 18mm

St. Anthony
OM-44



2 15 x 11mm | 3 19 x 14mm | 5 23 x 16mm | 6 25 x 18mm

St. Jude
OM-14



2 15 x 11mm | 3 19 x 14mm | 5 23 x 16mm | 6 25 x 18mm

Sacred Heart of Jesus
M-95



2a 15 mm

M-95



small 12 mm | 1 18 mm | 2 25 mm | 3 30 mm

HS
Holy Spirit



1 7.82 x 11.50mm | 2 9.85 x 14.20mm | 3 12 x 17.66mm | 4 15.88 x 25.01mm

C-25/2



27 mm

C-31



1 24 mm | 2 27 mm | 3 32 mm

JEWISH RELIGIOUS ITEMS

JS-10


1
14ky


3
14ky


8
14ky


10
14ky

JS-11


5
14ky

JS-12


1
14ky


2
14ky


3
14ky

JS-13


14ky
20 x 14

JS-14


3
14ky

JS-23D


14ky
27 x 17
.09 ct TW

JS-22


1
14ky
17 x 9


2
14ky & w
22 x 12


3
14ky & w
25 x 15


4
14ky & w
35 x 22

JS-32


1
14ky & w
Cast

JS-112


14ky
15mm

JC-10


1
14ky


2
14ky

JC-11


1
14ky & w
30 x 25mm

JC-12


1
14ky


3
14ky


5
14ky

JC-13


3
14ky
19 x 17


2
14ky
16 x 12


1
14ky
14 x 10

JC-14


2
14ky


1
14ky

JC-15


14ky
17 x 7

JC-16


1
14ky


2
14ky

JC-19


1
14ky
15 x 12


2
14ky & w
15.5 x 16.5

OM-30


1
14ky
12 x 10


2
14ky
17 x 13


3
14ky
24 x 19

JEWISH RELIGIOUS ITEMS, CONT'D

JM-10



1 14ky
2 14ky
3 14ky

JM-12



1 14ky 15.8 x 7
2 14ky 27 x 7

JM-13



1 14ky 20.5 x 6.9
2 14ky 27 x 7
3 14ky 31 x 6

JM-14



14ky 31 x 6

JM-15



1 14ky
2 14ky

JM-18



14ky 33 x 7

JM-20



1 14ky
2 14ky
3 14ky

JM-21



14ky 36 x 12

HG-10



1 14ky
2 14ky
3 14ky

HG-11



14ky 25 x 15

CH-10



14ky

CH-11



14ky

CH-12



14ky 36 x 12

CH-13



14ky

Quotation-
Genesis XXXI 49
on Back
CH-10 ,11, 12, 13

HOLLOW CROSSES

CR-20



1 14ky 24 x 11
2 14ky 28 x 14
3 14ky 32 x 17
4 14ky 35 x 19
5 14ky 39 x 22
6 14ky 43 x 23

CR-25



1 14ktt 24 x 4
2 14ktt 28 x 14
3 14ktt 32 x 17
4 14ktt 35 x 19
5 14ktt 39 x 22

HOLLOW CROSSES, CONT'D

CR-30




1 14ky 24 x 11
2 14ky 27 x 14
3 14ky 32 x 16
4 14ky 35 x 18

CR-31



1 14ky 24 x 11
2 14ky 27 x 14
3 14ky 32 x 16
4 14ky 35 x 18

CR-32



1 14ky 24 x 11
2 14ky 27 x 14
3 14ky 32 x 16
4 14ky 35 x 18

CR-33



1 14ky 24 x 11
3 14ky 32 x 16
4 14ky 35 x 18

CR-38



1 14ky 24 x 11
2 14ky 27 x 14
3 14ky 32 x 16
4 14ky 35 x 18

CR-39



1 14ktt 24 x 11
2 14ktt 27 x 14
3 14ktt 32 x 16
4 14ktt 35 x 18

CR-40



1 14ky 24 x 11
2 14ky 27 x 14
3 14ky 32 x 16
4 14ky 35 x 18

CR-41



1 14ktt 24 x 11
2 14ktt 27 x 14
3 14ktt 32 x 16
4 14ktt 35 x 18

CR-44



1 14ky 27 x 14
2 14ky 32 x 16
3 14ky 40 x 23

CR-44



4 14ktt 27 x 14
5 14ktt 32 x 16
6 14ktt 40 x 23

CR-45



1 14ky 27 x 14
2 14ky 32 x 16
3 14ky 35 x 19

CR-45D



6 14ktt
7 14ktt

CR-46



1 14ktt 27 x 14
2 14ktt 32 x 16
3 14ktt 35 x 19

CR-48



1 14ktt 27 x 14
2 14ktt 35 x 19
3 14ktt 40 x 23

CR-49



1 14ktt
2 14ktt
3 14ktt

CR-55/2



14ky

CR-55/5



14ky

CR-56/2



14ktt

HOLLOW CROSSES, CONT'D

CR-57



2 14ky | 3 14ky

CR-58



1 14ky | 2 14ktt | 3 14ktt

CR-61



1 14ky | 2 14ky | 3 14ky

SOLID CROSSES

CR-97
14ky



1 | 5 | 9

CR-98
14ky



1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12

CR-21
14ky



1S | 2S | 3S | 4S | 5S | 6S

CR-53
14ky



1 | 2 | 3

CR-54
14ktt



1 | 2 | 3

CR-76



3 | 4

GREEK & RUSSIAN ORTHODOX

CR-80
14ky



1 | 2

CR-81
14ky



1 | 2

CR-82
14ktt



1 | 2

CELTIC

CR-85
14ky



1 | 2

CROSSES FOR DIAMONDS – CAST

CR-100/10



14ky & w
16 - .03 ct

CR-105



14ky & w
11 - .06 ct

CR-106



14ky & w
11 - .12 ct

CR-107



14ky & w
11 - .15 ct

CR-108



14ky & w
6 - .15 ct

CR-109



14ky & w
11 - .11 ct

CR-110



14ky & w
6 – 2 x 2mm

CR-113



14ky & w
6 - .03 ct

CR-115



14ky & w
6 - .05 ct

CR-118



14ky & w
6 - .08 ct

CR-120

A



14ky & w
12 - .005 ct
Sm.

B



14ky & w
13 - .01 ct
Lg.

CR-122



14ky & tt
21 - .02 ct

CR-123



14ky & w
9 - .01 ct

CR-125



14ky
11 - .03 ct

CR-128



14ky
1 - .04 ct

CR-129



14ky
1- .02 ct

CR-111



14kw
4-.017ct

CR-99-2



14ky

CR-52



14ky & w

CR-99-1



14ky

CR-112



14ky & w

CR-99-3



14ky

CR-14



14ky & w
43 x 23.21mm

THE FOLLOWING RELIGIOUS ITEMS ARE ALSO AVAILABLE BY SPECIAL ORDER IN 14KW

Crosses	
CR-21/1S	CR-75/3
CR-21/4S	CR-75/4
CR-21/5S	CR-76/3
CR-53/1	
CR-54/1	
CR-75/2	

Medals	
M-10/2	OM-10/2
M-10/3	OM-10/3
M-15/2	OM-10/5
M-15/3	OM-12/2
M-34/4	OM-12/3
M-190/3	OM-12/6

HALF SHANKS, DIE STRUCK



RS-90/3
14ky & w
2.4mm

RS-90/4
14kw
2.5mm
DISCONTINUE

RS-90/5
14ky & w
2.8mm

RS-90/7
14ky & w
3.2mm

SHANKS

Light Die-Struck



RS-8
14ky & w
2.6mm

RS-8/4
14ky & w
2.6mm

RS-8/6
14ky
2.6mm

Light Die-Struck



RS-9
14ky & w
2.65mm

RS-9/4
14ky & w
2.65mm

RS-9/6
14ky & w
2.65mm

Regular Die-Struck



RS-10
14ky & w
2.75mm

RS-10/4
14ky & w
2.75mm

RS-10/6
14ky & w
2.75mm

Medium Die-Struck



RS-13
14ky & w, 18ky, 18kw, Plat.
2.9mm

RS-13/4
14ky, pink & w, 18ky, 18kw, Plat.
2.9mm

RS-13/6
14ky & w, 18ky, Plat.
2.9mm

Heavy Die-Struck



RS-16
14ky & w, 18ky & w, Plat.
3.5mm

RS-16/4
14ky & w, 18ky & w, Plat.
3.5mm

RS-16/6
14ky & w, 18ky & w, Plat.
3.5mm

Pinched Edged Die-Struck



RS-17
14ky & w, 18ky, Plat.
2.6mm

RS-17/4
14ky & w
2.6mm

RS-17/6
14ky & w
2.6mm

Full Half Round Heavy Die-Struck



RS-19
14ky & w, Plat.
3.5mm

RS-19/4
14ky & w, Plat.
3.5mm

RS-19/6
14ky & w, Plat.
3.5mm

Pinched End - Finger Size 7



RS-14/4
Die-Struck
14ky & w
4 prong notch

RS-14/6
Die-Struck
14ky & w
6 prong notch

RS-27/4
Die-Struck
14ky & w
4 prong notch

RS-27/6
Die-Struck
14ky & w
6 prong notch



RS-15/6L Cast
Light weight shank
14ky 3.0mm

RS-15/6H Cast
Heavy weight shank
14ky 3.1mm

RS-18/6L Cast
Light weight shank
14ky 3.0mm

RS-18/6H Cast
Heavy weight shank
14ky 3.00mm

Pinched Knife Edged Die-Struck



RS-23
14ky & w, 18ky, Plat.
2.7mm

RS-23/4
14ky & w
2.7mm

RS-23/6
14ky & w
2.7mm

Comfort Fit
Finger Size 6



RS-28/4
Die-Struck
14ky & w
4 prong notch
3mm

Comfort Fit Die-Struck



RS-30
14ky & w
2.30mm
Die-Struck

RS-49 Cast
14ky & w
2.0mm

RS-50
14ky & w
Die-Struck
3.20mm

RS-53
14ky & w
Die-Struck
4.00mm

RS-26/4
14ky & w
2.20mm

RS-27/4
14ky & w
3.00mm

RS-27/6
14ky & w
3.00mm

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed

SHANKS CONT'D
CAST



RS-60/1
14ky & w
3.65mm

RS-60/2
14ky & w
4.65mm

RS-60/4
4 - .01 ct
14ky & w
4.65mm

RS-60/5
12 - .01 ct
14ky & w
4.65mm

RS-60/6
10 - .035 ct
14ky & w
3.85mm

RS-60/7
6 – 3 x 3 sq.
14ky & w
4.83mm

RS-61/1
14ky & w
6.40mm

RS-62/3
14ky & w
8.50mm



RS-62/1
14ky & w
1.4mm top
3.3mm bottom

RS-62/2
14ky & w
3.85mm

RS-6222 Cast
14w
28x.02ct
32x.015ct
36x.01ct
44x.005ct

RS-63
14ky & w,
18ky & w,
Plat. 2.5mm

RS-63/1
14ky & w,
18ky & w,
Plat. 2.55mm

RS-63/2
14ky & w,
18ky
Plat. 2.15mm

RS-63/3
14ky & w,
18ky & w,
Plat. 3.4mm



RS-63/4
14ky & w,
18ky & w,
Plat. 3.80mm

RS-63/K
14ky & w,
18ky & w,
Plat. 2.80mm

RS-64/2
14ky & w

RS-65/1
14ky & w,
18ky, Plat.
2.35mm

RS-65/2
14ky & w,
18ky, Plat.
2.9mm

RS-65/3
14ky & w,
18ky, Plat.
3.80mm

RS-65/5
14ky & w
5.30mm



RS-66
14ky & w
2.45mm

RS-67
14ky & w
4.10mm

RS-75
10 - .01 ct
14ky & w

RS-76
8 - .01 ct
14ky & w



RS-77/1
14kw
14 - .015ct

RS-77/2
14kw
14 - .02ct

RS-77/3
14kw
12 - .03ct

RS-77/4
14kw
10 - .05ct

RS-78/1
14kw
20 - .01ct

RS-78/2
14kw
16 - .02 ct

RS-78/3
14kw
12 - .03ct

RS-78/4
14kw
12 - .04ct

RS-78/5
14kw
12 - .05ct

RS-78/7
14kw
10 - .07ct

RS-78/10
14kw
10 - .10ct

STRIP SETTINGS/SHANKS

RS-5
14ky & w



.05 ct

.10 ct

.15 ct

.20 ct

.25 ct

Shank for
.05 to .25 Strips

RS-5
14ky & w



.30 ct

.40 ct

.50 ct

Shank for
.30 to .50 Strips

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed

ADJUSTMENTS FOR RINGS

FINGER FIT



RS-FF
Regular
2 mm
SZ 2 – 5,
SZ 5.5 – 9
14ky & w,
Plat.

RS-FF
Double
4.15 mm
SZ 2 – 5,
SZ 5.5 – 9
14ky & w

RS-FF
Wide Top
3 mm
SZ 2 – 5,
SZ 5.5 – 9
14ky & w

SUPER FIT



RS-SF
2.5mm
Avail.
SZ 5, 6, 7
14ky & w

RS-SF
3mm
Avail.
SZ 6, 7
14ky & w

RS-SF
4mm
Avail.
SZ 5, 6, 7
14ky & w

Instructions for Attaching a FINGER FIT Shank

FINGER FIT shanks are made in two sizes: The Regular shank which is used for finger sizes 5 through 9 when closed and the Princess shank which is used for finger sizes 2 through 5 1/2 when closed. All shanks have sufficient metal to permit virtually any shank shape to be developed in the area above the hinge.

4 Easy Steps will put a FINGER FIT shank on most any ring. It is as easy as replacing a conventional non-hinged shank on a ring.

1. Shape customer ring to correct closed finger size.
2. Split top of FINGER FIT shank and gently round to same closed finger size on mandrell with rawhide or nylon mallet.
3. Match ring and shank on mandrell exactly. Mark ring shoulder and FINGER FIT as far from hinge as practical. Cut excess for both. Ring top and FINGER FIT together should equal CORRECT closed finger size.
4. Solder FINGER FIT to shoulder of ring. Emery to match and polish.

One word of caution - Do not file the FINGER FIT shank in the hinge areas, as these are precision machined to assure the lower quarters opening to a positive stop of three finger sizes.

RING GUARDS

RG-10



Ladies
YGP, WGP,
14ky & w

Mens
YGP, WGP,
14ky & w

King
YGP, WGP,
14ky



Jumbo
YGP, WGP

Installation Guide for Super Fit Shank




Fig. 1 *Fig 2*

The customer's ring must be shaped to required size. It must be cut open to determine if the top section is rigid enough for a direct installation as shown in Figure 1. Otherwise install the top section over a cut-out bridge or over an under-bezel as shown in Figure 2, A & B.

Ring Size Conversions

Metric	French/Japanese	English	American
46.8027	---	H½	4
47.9997	8	I½	4½
49.1967	9	J½	5
50.3937	---	K½	5½
51.5907	---	L½	6
52.7877	13	M½	6½
54.1044	14	N½	7
54.7428	15	O	7
56.0196	16	P	7½
57.2964	17	Q	8
58.5732	---	R	8½
59.8500	20	S	9
61.1268	21	T	9½
62.4026	---	U	10
63.6804	24	V	10½
64.8774	25	W	11
66.0744	26	X	11½
67.2714	---	Y	12

RS-125 Cast Standard Tapered Baguette Ring Shanks – Stock Size 6



3 x 2 mm	3.25 x 2.25	3.5 x 2.5	3.5 x 2.75	4 x 2.5	4.25 x 2.75	4.5 x 2.75	5 x 3	5.5 x 3.25
14ky & w	14ky & w,	14ky & w,	14ky & w,	14ky & w,	14ky & w,	14ky & w,	14ky & w,	14ky & w,
18ky & w, Plat.	18ky & w, Plat.	18ky & w	18ky & w, Plat.	18ky & w, Plat.	18ky & w, Plat.	18ky & w, Plat.	18ky & w, Plat.	18ky & w, Plat.

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed

RS-125 Cast



5.75 x 3.5
14ky & w,
18ky & w, Plat.



6.25 x 3.5
14ky & w,
18ky & w, Plat.



RS-125WB 14ky & w
Wedding Band, avail. in all sizes
3 x 2 to 5.5 x 3.25 to match RS-125

RS-156T Cast 14ky & w, 18ky & Plat.



3 x 3



4 x 4



5 x 5



6 x 6

RS-151 Cast 14ky & w, 18ky, 18kw & Plat.



3 x 3



4 x 4



5 x 5



6 x 6



7 x 7



7.5 x 7.5



8 x 8

RS-560
14ky & w



2 - .015

RS-561
14ky & w



2 - .05



2 - .10



2 - .15



2 - .20

STAMPED DIE STRUCK ENGAGEMENT RINGS

Economy Weight



RM-9
4 Prong
14ktt
.10, .12, .18, .25, .37, .50, .65, .75, 1.00 ct



RM-12
6 Prong
14ktt

Regular Weight



RM-10
4 Prong



RM-13
6 Prong

14kw & tt
.12, .18, .25, .37, .50, .65, .75, 1.00, 1.25,
1.50, 2.00, 2.50, 3.00 ct
Plat. .50 ct to 3.00 ct

Cast



RM-163
6 Prong

14ktt
.50, .75, 1.00, 1.50,
2.00 ct

Regular Weight



RM-16
Marquise
14kw & tt
.10, .14, .20, .25,
.33, .38, .50, .75,
1.00, 1.25, 1.50,
2.00, 3.00 ct



RM-17
Marquise
14ktt
.25, .33, .38,
.50, .65, .75,
1.00, 1.50,
2.00, 3.00 ct



RM-19
Pear shape
14kw & tt
.14, .25, .33, .38, .50,
.62, .75, 1.00, 1.25,
1.50, 2.00, 3.00 ct
14ktt only; .10, .20



RM-20
Pear shape
14ktt
.25, .33, .38,
.50, .62, .75,
1.00, 1.50,
2.00 ct



RM-158
Princess Cut
14kw & tt
3.5 x 3.5, 4 x 4,
5 x 5, 6 x 6, 7 x 7



RM-160
14kw
3.5mm
4mm
4.5mm
5mm
5.5mm
6mm

Cast Head



RM-164
14kw Princess Cut
4 x 4, 4.5 x 4.5,
5 x 5, 5.5 x 5.5,
6 x 6, 6.5 x 6.5,
7 x 7



RM-11
14kw, 14ktt, Plat.
Princess Cut
1.00 ct to 3.00 ct



RM-15
14kw, 14ktt
Princess Cut
1.00 ct to 3.00 ct

Engagement Rings are Die Struck Settings and Shanks that
we assemble, Polish and Rhodium in Stock Size

SEAMLESS DIE STRUCK WEDDING BANDS

WB-10 Half Round



2mm 3 4 5 6 7 8 10

14ky & w 2mm – 8mm SZ 4-12, 10mm SZ 4 – 10

18ky & w 2mm – 6mm SZ 4 –12

Plat. 2mm – 6mm SZ 4 -11

WB-20 Flat



2mm 3 4 5 6 7 8 10

14ky & w 2mm – 10mm SZ 4 -11

SEAMLESS DIE STRUCK WEDDING BANDS, CONT'D

WB-30 Millgrain



3mm 4 5 6

14ky SZ 4 -11

WB-CF Comfort Fit



2.5mm 3 4 5 6

14ky & w, 18ky & w, SZ 4 -12 Plat. SZ 4 –11

WHITE GOLD WEDDING BANDS FOR STONES



WB - 3
1m - .26 -
14w
52 x .005ct



WB - 13
.13 - 14w
13 x .01ct



WB - 219
.31 - 14w
12 x .005ct
12 x .006ct
12 x .007ct
12 x .008ct

DIE STRUCK HALF CHANNEL RINGS

Half Channel Non-Azured Eternity Rings 14K Yellow & White Gold 18K & Plat. Stock Size 6.

HC



.02 ct .03 .04 .05 .07 .10 .15 .20

Order By Number of Stones Available: HC-5, HC-7, HC-9, HC-11, HC-13
.10 ct. Avail. 5, 7, 9, Stones Only; .15 ct. Avail. 7, 9; .20 ct. Avail. 5, 7

All seamless wedding bands available by special order in larger sizes

HALF CHANNEL HALFWAY AZURED RING

with 1/2 Round Shank – 14k Yellow and White

HCA-7



.03 ct .05 .08

HCA-9



.03 ct .05 .08

Avail. Sizes 5, 6, 7. 18ky only by Special Order

CAST HALF CHANNEL RING

HC-95

7 stones 14ky & w



1.95 dwt .25 ct TW | 2.10 dwt .35 ct TW | 2.35 dwt .49 ct TW | 3.06 dwt .75 ct TW | 3.40 dwt 1.05 ct T..

HC-90



7 stones
1.4 dwt
.49 ct TW
14ky & w

1/2 CHANNEL NON-AZURED TAPERED MENS WEDDING BANDS

HCM



.02 ct .03 ct .04 ct .05 ct .07 ct

Available in the following stone combinations in 14ky & w. Finger size 10. All other sizes by Special Order.

HCM - 25 5 - .02 ct	HCM - 35 5 - .03 ct	HCM - 45 5 - .04 ct	HCM - 55 5 - .05 ct	HCM - 75 5 - .07 ct
HCM - 27 7 - .02 ct	HCM - 37 7 - .03 ct	HCM - 47 7 - .04ct	HCM - 57 7 - .05 ct	HCM - 77 7 - .07 ct
HCM - 29 9 - .02 ct	HCM - 39 9 - .03 ct	HCM - 49 9 - .04 ct	HCM - 59 9 - .05 ct	HCM - 79 9 - .07 ct
HCM - 211 11 - .02 ct	HCM - 311 11 - .03 ct	HCM - 411 11 - .04 ct	HCM - 511 11 - .05 ct	

1/2 CHANNEL NON-AZURED COMFORT FIT WEDDING BANDS

HC-CF



.02 ct .02 ct .03 ct .03 ct .04 ct .04 ct



.05 ct .05 ct .07 ct .07 ct .10 ct .10 ct

Available in the following stone combinations in 14ky & w. Finger size 6 &10. All other sizes by Special Order.

HC-CF - 25 5 - .02 ct	HC-CF - 35 5 - .03 ct	HC-CF - 45 5 - .04 ct
HC-CF - 27 7 - .02 ct	HC-CF - 37 7 - .03 ct	HC-CF - 47 7 - .04ct
HC-CF - 29 9 - .02 ct	HC-CF - 39 9 - .03 ct	HC-CF - 49 9 - .04 ct
HC-CF - 211 11 - .02 ct	HC-CF - 311 11 - .03 ct	HC-CF - 411 11 - .04 ct

HC-CF - 55 5 - .05 ct	HC-CF - 75 5 - .07 ct	HC-CF - 105 5 - .10 ct
HC-CF - 57 7 - .05 ct	HC-CF - 77 7 - .07 ct	HC-CF - 107 7 - .10 ct
HC-CF - 59 9 - .05 ct	HC-CF - 79 9 - .07 ct	HC-CF - 109 9 - .10 ct
HC-CF - 511 11 - .05 ct	HC-CF - 711 11 - .07 ct	HC-CF - 1011 11 - .10 ct

DIE STRUCK HALF CHANNEL FULL AZURED RING FOR PRINCESS CUT

HCP



DIAM. SIZE	2mm	2.5mm	3mm
DIAM. WT.	.07 ct	.12 ct	.20 ct
RING WIDTH	3.1mm	3.6mm	4.6mm
RING HEIGHT	2.5mm	2.7mm	2.8mm

Order by Number of Available Stones HCP-5, HCP-7, HCP-9
Available in 14ky & w, 18ky, Plat. In Finger Size 6

SEAMLESS DIE STRUCK ALL AROUND & AZURED CHANNEL ETERNITY – PRINCESS CUT STONES

CH-EP



2mm	2.5mm	3mm
.07 ct	.12 ct	.20 ct
30	25	21
3.1mm	3.6mm	4.6mm
2.5mm	2.7mm	2.8mm

Available in 14ky & w, 18ky, Plat. in Finger Size 6.
Note: Both HCP & CH-EP
Available in Half Sizes From 4 thru 8 by Special Order

CAST ALL AROUND CHANNEL PRINCESS CUT STONES

FC-97



DIAM. SIZE	2.5mm	2.7mm	3mm
DIAM. WT.	.07 ct	15 ct	20 ct
NO. STONES	SZ 6–24, SZ 8–26	SZ 6–22, SZ 8–24	SZ 6-20, SZ 8-22
RING WIDTH	3.9mm	4.1mm	4.3mm
RING HEIGHT	2mm	2.3mm	2.6mm

Available 14ky & w. Finger size 6 or 8.

SEAMLESS DIE STRUCK ALL AROUND & AZURED CHANNEL ETERNITY RINGS

CH-ER



Ring Width (mm)	2.50	2.65	2.75	2.85	3.10	3.30
Diam. Size – PT.	3/4 - 1	1 1/4 - 1 1/2	1 3/4-2	2 3/4-3	4-4 1/2	5-6

Finger Size	No. Stone	Finger Size	No. Stone	Finger Size	No. Stone	Finger Size	No. Stone	Finger Size	No. Stone	Finger Size	No. Stone
4	38	4	35	4	31	4	28	4	25	4	23
*5	39	5	35	*5	32	*5	29	5	27	*5	24
*6	42	6	37	*6	34	*6	31	6	27	*6	25
*7	44	7	38	*7	35	*7	32	7	29	*7	26
*8	44	8	40	*8	37	*8	33	8	29	*8	27

CH-ER



Ring Width (mm)	3.7	4.3	4.5	4.7
Diam. Size – PT.	7-7 1/2	10-10 1/2	12-12 1/2	15

Finger Size	No. Stone	Finger Size	No. Stone	Finger Size	No. Stone	Finger Size	No. Stone
4	20	4	18	4	17		
*5	22	*5	19	5	18		
*6	23	*6	21	6	19	6	18
*7	21	*7	21	7	20		
*8	24	*8	22	8	21		

Available in 14K Yellow & White Gold Items Marked with an Asterisk (*) Available in 18KY and Platinum
All CH-ER Rings Available By Special Order in Half Sizes.

CAST ALL AROUND WEDDING BANDS 14KY & W

RM-42
Common Prong



DWT:	2.52	3.02	3.28	3.48
No. St:	26 - .05	23 - .10	23 - .12 - .15	23 - .18 - .20
SZ:	6	6	6	6

RM-87
Bar Channel Ring
w/ Rounded Bars



DWT:	2.64
No. St:	23 - .08
SZ:	6

RM-88
Bar Channel Ring w/ Straight Bars



DWT:	2.15	1.83	3.65	4.28
No. St:	27 - .05	19 - .07	22 - .09	19 - .15
SZ:	6.5	6	6.5	6

RM-89
Bar Channel Ring w/ Round Bars



2.86	3.65	4.13
22 - .08	20 - .15	18 - .25
7	7	7

RM-90



DWT:	2.60	2.65	3.05	3.10	3.20	3.24
No. St:	24 - .03	22 - .05	22 - .07	20 - .10	18 - .15	16 - .20
SZ:	6	6	6	6	6	6

NEW **RM-95U**
U-shape eternity ring



14ky, w & pink
.05 - .25ct
6

RM-91



DWT:	2.26	2.25	2.50	2.58	3.10	3.65	3.90
No. St:	22 - .07	22 - .10	21 - .15	20 - .20	17 - .25	15 -.33	15 - .40
SZ:	6	6	6	6	6	6	6

PRONG CHANNEL

RM-92



DWT:	2.49	2.55	2.65
No. St:	22 - .03	20 - .05	18 - .07
SZ:	6	6	6

S-RING

RM-93



2.18	2.20	2.73	2.62	3.13
22 - .02	21 -.03	19 - .05	17 -.07	16 -.10
6	6	6	6	6

RM-97 Fishtail
Setting



DWT:	2.40	2.50	2.9	4.10
No. St:	28 - .02	26 - .03	24 - .05	23 -.10
SZ:	6	6	6	6

WB-BA



2.25
14 - 3 x 2
6

WB-RBA



2.45
7 - .12, 7 - .03
6

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed

CAST PART WAY WEDDING BANDS FINGER SIZE 6 - 14KY & W

RM-53




DWT:	2.55	2.4
No. St:	3 - .25	3-.33

RM-55







DWT:	1.75	2.00	1.85	2.25	2.40
No. St:	5 - .05	5 -.07	5 -.10	5 - .15	5 - .20

RM-57





DWT:	1.60	1.90	1.85
No. St:	7 - .03	7 -.05	7 -.07

RM-56



DWT:	2.65
No. St:	10 - .05

RM-58



DWT:	2.65
No. St:	14 - .03

RM-61




DWT:	2.30	2.20
No. St:	5 - .15	5 -.20

RM-63





DWT:	1.85	2.05	2.18
No. St:	7 - .05	7 - .07	7 - .10

RM-43

Common Prong








DWT:	1.95	2.00	2.25	2.55	2.70	3.10
No. St:	5 - .10	5 - .15	5 -.18	5 -.20	5 -.25	5 -.35

RM-45








DWT:	2.00	2.34	2.35	2.55	3.35	2.35
No. St:	5 - .05	5 - .10	5 - .15	5 -.20	5 -.25	5 - .30

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed

CAST PART WAY WEDDING BANDS FINGER SIZE 6, CONT'D – 14KY & W

RM-44



DWT:	2.25	3.15
No. St:	5 - .20	5 - .30

RM-46



2.05	2.58	2.44
7 - .05	7 - .10	7 -.15

RM-70
5 Stone Fishtail



DWT:	1.85	1.90	2.10	2.75
No. St:	5 - .05	5 - .07	5 - .10	5 - .15

RM-73
7 Stone Fishtail



1.70	2.15	2.05
7 - .03	7 - .05	7 - .07

RM-48
5 Stone Prong Channel



DWT:	1.90	2.11	2.58	2.44	2.64	2.91
No. St:	5 - .03	5 - .10	5 - .15	5 - .20	5 - .25	5 - .33

RM-50
7 Stone Prong Channel



DWT:	1.65	1.80	1.90	2.60
No. St:	7 - .03	7 - .05	7 - .07	7 - .10

RM-74
14kw



.91
7 x .13ct

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed

CAST ROUND RINGS

RM-40
14ky & w Sz 6







DWT:	3.15	3.40	3.30	4.55	4.55
NO. ST:	.50	.75	1.00	1.50	2.00

CAST ROUND CROSSWIRE RINGS W/ 2 BAGUETTES

RM-4125
14kw Sz 6








	A	B	C	D	E
DWT:	2.20	2.30	2.50	2.50	3.20
NO. ST:	.50	.75	1.00	1.25	1.50
	2 - 4.5 x 2.5	2 - 4.5 x 2.5	2 - 4.5 x 2.5	2 - 4.5 x 2.5	2 - 5 x 3

CAST 3 STONE ROUND RINGS – 14KY & W

	RM-355	**RM-356**	**RM-357**	**RM-358**	**RM-359**
					
DWT:	2.96	3.03	2.71	2.64	3.06
NO. ST:	1 - .65	1 - 1.00	1 - 1.25	1 - 1.25	1 - 1.50
	2 - .15	2 - .20	2 - .20	2 - .25	2 - .25

Gold and copper were the first metals to be discovered by man, around 5000 BC, and together with silver these three metals are found in the metallic state in the earth's crust.

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed

CAST 3 STONE RINGS – 14KY & W

	RM-360	RM-361	RM-362	RM-363	RM-364	RM-365	RM-366
							
DWT:	2.40	1.85	2.40	1.90	2.35	2.35	2.10
ST:	1 - .40 2 - .05	1 - .50 2 - .15	1 - .75 2 - .20	1 - .75 2 - .25	1 - 1.00 2 - .30	1 - 1.00 2 - .35	1 – 1.00 2 - .50

	RM-367	RM-368	RM-369
			
DWT:	2.74	2.90	2.90
ST:	1 – 1.25 2 - .60	1 – 2.25 2 - .75	1 – 2.00 2 - .35

3 Stone Rings are available in other shape stones by special order, in all various metals.

RM-1360
14ky & w



	A	B	C	D	E	F
DWT:	2.40	2.20	2.70	2.60	2.90	3.20
NO ST:	1 - .25 2 - .125	1 - .35 2 - .12	1 - .50 2 - .25	1 - .75 2 - .375	1 – 1.00 2 - .50	1 – 1.50 2 - .50

RM-1361
14kw



	A	B	C	D	E	F
DWT:	3.00	3.20	3.30	3.60	3.60	3.80
NO ST:	1 - .50 2 - .25	1 - .75 2 - .25	1 – 1.00 2 - .25	1 – 1.20 2 - .50	1 – 1.50 2 - .50	1 – 2.00 2 - .75

CAST 5 STONE ROUND CROSSWIRE RINGS

RM-555
14ky & w



DWT:	1.80	2.10	2.20	2.70	2.70
NO ST:	1 - .10 2 - .05; 2 - .02	1 - .15 2 - .08; 2 - .03	1 - .20 2 - .10; 2 - .05	1 - .25 2 - .15; 2 - .08	1 - .50 2 - .20; 2 - .10

SQUARE CROSSWIRE RINGS

RM-157
14ky & w



	A	B	C	D	E	F
DWT:	2.40	2.90	2.60	2.80	2.80	4.10
ST:	4.5 x 4.5	5 x 5 **DISCONTINUED LIMITED**	5.5 x 5.5	6 x 6 **DISCONTINUED LIMITED**	6.5 x 6.5	7 x 7 **DISCONTINUED LIMITED**

CAST 3 STONE PRINCESS CUT CROSSWIRE RINGS

RM-643
14ky & w
SZ 7





	A	C
DWT:	2.77	4.70
ST:	1 – 3 x 3 2 – 2 x 2	1 – 4 x 4 2 – 3 x 3

DISCONTINUED
LIMITED

CAST 3 STONE PRINCESS CUT RINGS

RM-644
14kw
SZ 6.5











	B	C	D	E	F
DWT:	2.30	2.60	3.00	3.00	3.00
ST:	1 – 4 x 4 2 – 3 x 3	1 – 4.5 x 4.5 2 – 3 x 3	1 – 4.5 x 4.5 2 – 3.5 x 3.5	1 – 5 x 5 2 – 3 x 3	1 – 5 x 5 2 – 3.5 x 3.5

CAST 5 STONE CROSSWIRE RINGS

RM-645
14ky & w
SZ 7



A
DWT: 2.07
ST: 1 – 2.8 x 2.8
2 – 2.4 x 2.4
2 – 2 x 2



B
DWT: 2.42
ST: 1 – 3.5 x 3.5
2 – 2.8 x 2.8
2 – 2.4 x 2.4



C
DWT: 2.87
ST: 1 – 3.8 x 3.8
2 – 3 x 3
2 – 2.5 x 2.5

CAST OVAL RINGS FINGER SIZE 6 – 14KY & W

RM-1200















DWT:	1.50	1.53	1.67	1.73	2.13	2.20	2.44
MM:	6 x 4	7 x 5	8 x 6	9 x 7	10 x 8	12 x 10	14 x 12

RM-1201















DWT:	1.90	2.00	2.20	2.47	2.65	3.10	3.58
MM:	6 x 4	7 x 5	8 x 6	9 x 7	10 x 8	11 x 9	12 x 10
NO. ST:	2 - .02	2 - .02	4 - .02	4 - .02	4 - .02	6 - .02	6 - .03

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed

CAST OVAL RINGS, CONT'D

RM-1203



DWT:	2.71	3.18	3.50	4.10	4.43
MM	7 x 5	8 x 6	9 x 7	10 x 8	12 x 10
NO. ST:	2 - .02	2 - .02	4 - .02	2 - .02, 2 - .03	6 - .025

RM-1204



DWT:	4.00
MM	18 x 13

RM-410
14ky & w
SZ 6



DWT:	1.60	1.75	1.90	2.05	2.20
MM	6 x 4	7 x 5	8 x 6	9 x 7	10 x 8
NO. ST:	6 - .02	6 - .02	6 - .03	6 - .04	6 - .05

RM-230



DWT:	1.90
MM	6 x 4
NO. ST:	8 - .03

RM-980



1.40	1.80	2.00	2.15	2.50
6 x 4	7 x 5	8 x 6	9 x 7	10 x 8
12 - .02	14 – .02	16 - .02	14 - .03	16 - .03

CAST EMERALD RINGS FINGER SIZE 6 – 14KY & W

RM-1403



DWT:	2.63	3.15	3.88	4.83
MM	7 x 5	8 x 6	10 x 8	12 x 10
NO. ST:	2 - .02	2 - .02	2 - .03, 2- .02	6 - .02

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed

CAST EMERALD CUT RINGS, CONT'D

RM-1450
14ky & w
SZ 6



DWT:	1.10	1.26	1.46	1.83	1.78	1.84
MM	5 x 3	6 x 4	7 x 5	8 x 6	9 x 7	10 x 8
NO. ST:	2 - .02	2 - .03	2 - .05	2 - .05	2 - .05	2 - .05

RM-411
14ky & w
SZ 6



DWT:	1.79	1.80	2.03	2.34	2.58
MM	6 x 4	7 x 5	8 x 6	9 x 7	10 x 8
NO. ST:	6 - .02	6 - .02	6 - .03	6 - .04	6 - .05

RM-1401
14ky & w
SZ 6
4 to 11

DISCONTINUED LIMITED STOCK



DWT:	2.40	2.63	3.10	4.80
MM	7 x 5	8 x 6	10 x 8	12 x 10
NO. ST:	2 - .02	2 - .02	2 - .02, 2 - .025	6 - .03

CAST HEART RINGS – 14KY & W



	RM-250/1	RM-250/3	RM-254/1	RM-254/2	RM-254/3	RM-252/1	RM-252/5	RM-252/7	RM-252/9
DWT:	.90	1.20	1.80 Solid	1.30 Hollow	1.25	1.05	.95	1.20	1.55



	RM-252/2	RM-246/1	RM-246/3	RM-246/5	RM-247/5	RM-249
DWT:	1.98	1.65	1.65	2.75	1.68	2.10
NO. ST:	2 - .02	1 - .01	7 x 5 1 - .04	7 x 7 3 - .02	3 - .02	8 - .01

CAST CLADDAGH RING – 14KY& W



	RM-331	RM-331/1	RM-332	RM-334/1	RM-334/3	RM-336	RM-335 DISCONTINUED LIMITED	RM-337
DWT:	1.54	2.25	1.46	2.37	3.53	4.15	4.25	5.0
NO. ST:		1 - .01				7 - .02	1 - .03	



	RM-331/5	RM-331/6	RM-335L	RM-336/1	RM-338
DWT:	3.50	3.50	3.15	2.85	3.35
NO. ST:	.25 ct–6-1.5 ct 8-1ct	6mm x 6mm 6 - 1.5 pt 8 - 1 pt		7-.01 ct	

CELTIC KNOT ENGAGEMENT RING



	RM-328E	RM-329E
	3.50	2.00
		8-.02 ct

CAST SIGNET RINGS - 14KY & W

	RM-256/1	RM-265/1	RM-265/9	RM-260/1	RM-260/5	RM-273/1	RM-272/3	RM-266/3
								
DWT:	.73	1.05	.84	1.58	1.47	1.24	1.25	1.65

	RM-273/8	RM-273/7	RM-290/3	RM-273/5	RM-304/3	RM-268/3	RM-310/3
							
DWT:	1.66	1.73	1.38	1.93	1.85	2.60	3.40

	RM-320/3	RM-322/3	RM-306/5	RM-302/5	RM-278/7	RM-276/3	RM-280/5
							
DWT:	6.02	6.97	4.05	3.63	6.30	4.05	5.23

	RM-284/5	RM-296/5	RM-314/3	RM-308/5	RM-340/7	RM-340/9
						
DWT:	5.45	6.50	6.25	7.47	5.92	Cast Masonic 7.57

CAST MENS STONE RINGS – 14 KY & W

	RM-66	RM-66/1
		
DWT:	7.9	9.3
NO. ST:	1 - .50	1 - 1.00

All 14K gold castings available, by special order, in 18 KY & W Platinum. Consult price list for sizes available in the various metals listed

ENGRAVED ANTIQUE FINISH LADIES RINGS

RM-156
14kw



	A	B	C	D	E
DWT:	2.30	2.40	2.80	2.90	3.10
NO. ST:	1 – 5 x 5 8 - . 01	1 – 5.5 x 5.5 8 - .01	1 – 6 x 6 8 - .015	1 – 6.5 x 6.5 8 - .015	1 – 7 x 7 8 - .02

RM-161
14kw



DWT: 3.30
NO. ST: 1 – 4mm
8 - .02

DISCONTINUED

RM-217
14kw



3.20
1 – 8 x 6
8 - .01

DISCONTINUED

RM-221
14kw



3.80
1 – 6 x 4
32 - .02

DISCONTINUED

RM-96
14kw



	A	B
DWT:	3.90	4.05
NO. ST:	1 – 6 x 4 18 - .02	1 – 7 x 5 22 - .02

DISCONTINUED

RM-1496
Cast 14kw



6 x 4 - 26 -1.5 ct
7 x 5 - 28 -1.5 ct
8 x 6 - 30 -1.5 ct
9 x 7 - 32 -1.5 ct

RM-1657-E
Cast 14kw



5 x 5 - 28 -.01 ct
6 x 6 - 28 -.01 ct
6.5 x 6.5 - 28 -.01 ct
7 x 7 - 28 -.01 ct
7.5x7.5 - 30 -.01 ct

RM-2850 to 28200
Cast 14kw



RM-2850, 50-24-1.5 ct
RM-2875, 75-26-1.5 ct
RM-28100, 1.00-28-1.5 ct
RM-28150, 1.50-28-1.5 ct
RM-28200, 2.00-30-1.5 ct

RM-1667 Cast
14kw



4.5 x 4.5 - 28 -1.5 ct
5 x 5 - 28 -1.5 ct
5.5 x 5.5 - 28 -1.5 ct
6 x 6 - 32 -1.5 ct
6.5 x 6.5 - 32 -1.5 ct
7x7 - 32 -1.5 ct

RM-351
14kw



DWT: 1.11 ct tw
NO. ST: 1 x .50ct
2 x .20ct
6 x .015ct
12 x .01ct

RM-2800 Cast
14kw



.25ct, 24 -.005
.50ct, 24 -.005
.75ct, 24 -.005
1.00ct, 24 -.005
1.50ct, 24 -.005
2.00ct, 24 -.005

RM-2801 Cast
14kw



.25ct, 36 -.005
.33ct, 38 -.005
.50ct, 38 -.005
.75ct, 40 -.005
1.00ct, 42 -.005
1.20ct, 43 -.005
1.50ct, 44 -.005
2.00ct, 46 -.005

RM-1670 Cast
14kw



3.5 x 3.5 - 24 -.005 ct
4 x 4 - 24 -.005 ct
4.5 x 4.5 - 24 -.005 ct
5 x 5 - 24 -.005 ct
5.5 x 5.5 - 24 -.005 ct
6 x 6 - 24 -.005 ct
6.5 x 6.5 - 24 -.005 ct
7x7 - 24 -.005 ct

RM-1671
Cast 14w



3.5 x 3.5 - 33 -.005 ct
4 x 4 - 38 -.005 ct
4.5 x 4.5 - 42 -.005 ct
5 x 5 - 42 -.005 ct
5.5 x 5.5 - 44 -.005 ct
6 x 6 - 44 -.005 ct
6.5 x 6.5 - 50 -.005 ct
7x7 - 48 -.005 ct

LETTERS BLOCKS



A-10
Die Struck 1/8" Block
14ky & w



A-11
Die Struck 3/16" Block
14ky & w



A-12
Die Struck 1/4" Block
14ky & w



A-15
Cast 5/32" Block
14ky & w



A-17
Die Struck 3/16" Block
14ky & w



A-19
Die Struck 5/16" Block
14ky & w



A-20
Die Struck 1/2" Block
14ky & w



A-25
Cast 9/32" Block
14ky & w



A-28
Cast 3/8" Block
14ky & w



A-32
Cast 3/8" Slant Block
14ky & w

LETTERS SCRIPT



A-44
Cast 1/4" Script
14ky & w



A-45
Cast 3/8" Script
14ky & w



A-50
Cast 1/2" Script
14ky & w



AP-55
Cast 7/16" Script
14ky & w



AP-66
Cast 5/8" Script
14ky & w





A-35
Cast 9mm
14ky & w





A-38
Cast 11mm
14ky & w





A-69
Cast 11.90mm
14kw





ACS Cast
Intial Circle
14kw 14-.005 ct



A-39
Cast 5/16" Block
for Diamonds
14ky & w .01 ct



A-97
Cast 3/8" Block
for Diamonds
14ky & w .01 ct



A-98
Cast 7/16" Block
for Diamonds
14ky & w .015 ct



A-65
Cast 1/2" Script
for Diamonds
14ky & w .01 ct



AP-67
Cast 9/16 " Script
for Diamonds
14ky & w
.01 ct - .02 ct

LETTERS CHINESE



A-80
Die Struck 3/16" Chinese
14ky & w Sm.



A-81
Die Struck 1/4" Chinese
14ky & w Med.



A-82
Die Struck 5/16" Chinese
14ky & w Lg.



A-70
Die Struck 5/16" Old English for Onyx
10ky Sm.



A-74
Die Struck 3/8" Old English for Onyx
10ky Lg.

MASONIC EMBLEMS

Sm Med. Lg.



A-90/1,2,3
Die Struck w/ Enamel for Onyx
14ky & w



A-95/1,2,3
Die Struck w/ Diamond for Onyx
14ky & w

1Diam. 3 Diam 5 Diam.

NUMBERS



N-10
Die Struck 1/8"
14ky & w



N-11
Die Struck 3/16"
14ky & w



N-12
Die Struck 1/4"
14ky & w



N-20
Cast 5/16"
14ky & w



N-25
Cast 7/16"
14ky & w

CLUTCH BACKS



CB-11
Brass, Nickel



CB-15
Brass, Nickel

CUFF LINKS BACKS



CL-25
14ky, s/s



CL-10
14ky, 14kw,18ky, 18kw, Plat., s/s have soft solder cup

TIE TACS



TT-10
14ky & w
7/16"



TT-11
NS
7/16"
DISCONTINUED

KEY RINGS



KR-10 Sm.
14ky, YGF



KR-10 Lg.
14ky, YGF, S/S



KR-12 Sm.
14ky, YGF, S/S



KR-12 Lg.
14ky, YGF, S/S



KR-20
14ky, YGF, S/S

Assembling Tuxedo Back Components


Assemble the stud back components in this sequence after attaching the stud to the barrel:

A) Insert the blunt end of the stem into the long end of the barrel leaving the point of the stem exposed.

B) Slide the spring onto the blunt end of the stem now in the barrel sliding the spring into the barrel.

C) Apply soft solder paste or liquid flux and a small plug of tin solder to the open end of the sleeve.

D) Slide the sleeve over the stud stem and apply heat, being careful to avoid overheating and damaging the spring.



Approximate mm Sizes for Various Shaped Diamonds

CARAT SIZE	Round	Oval	Pear	Marquise	Emerald	Square	Triangle	Heart	Tapered Baguette	Straight Baguette
.01	1.3								2 x 1 x .5	1.75 x 1
.02	1.6								2 x 1.5 x 1	2 x 1
.03	2.0								2.5 x 1 x .5	2.25 x 1.25
.04	2.2								3 x 1.5 x 1	2.5 x 1.5
.05	2.3			3 x 1.5					3.25 x 1.5 x1	2.75 x 1.5
.06	2.5								3.25 x 1.75 x1	3 x 1.5
.07	2.7		3.5 x 2.75						3.5 x 1.5 x 1.25	
.08									3.5 x 2 x 1.5	3 x 2
.10	3.0		3.75 x 2.75	4 x 2				3 x 3	4.5 x 2 x 1	3.25 x 2
.12	3.2								4.5 x 2 x 1.5	
.15	3.4		4 x 3.75	5 x 2.5			3.5 x 3.5	3.5 x 3.5	4.5 x 2.5 x 1.75	3.5 x 2.5
.18	3.5									
.20	3.8		4.5 x 3.75	5.5 x 3					5 x 2.5 x 1.75	5.0 x 2.0
.25	4.0	5 x 3	5 x 3	6 x 3	5 x 3	3.5 x 3.5	4 x 4	4 x 4	5 x 3 x 2	6 x 2
.30				6.5 x 3.5						
.35	4.5	5.5 x 3	5.5 x 3	7 x 3.5	5.5 x 3	4 x 4	4.5 x 4.5	4.5 x 4.5	5 x 3.5 x 2	6 x 2.5
.40	4.8						5 x 5			6 x 3
.50	5.0	6 x 4	6 x 4	8 x 4	6 x 4	4.5 x 4.5	5.5 x 5.5	5 x 5		
.60							6 x 6			
.65	5.6									
.75	5.9	7 x 5	7 x 5	9 x 4.5	6 x 4.5	5 x 5	6.5 x 6.5	5.5 x 5.5		
1.00	6.5	8 x 6	8 x 5	10 x 5	7 x 5	5.5 x 5.5	7 x 7	6 x 6		
1.25	7.0	8.5 x 6	9 x 5	11 x 5.5	8 x 6	6 x 6	7.5 x 7.5			
1.50	7.4	9 x 6	9 x 6	12 x 6	9 x 6	6.5 x 6.5	8 x 8	6.5 x 6.5		
1.75	7.8									
2.00	8.0	9 x 7	10 x 7	13 x 6.5	9 x 7	7 x 7	8.5 x 8.5	7 x 7		
2.25	8.5									
2.50	9.0	10 x 7	11.5 x 7.5	14 x 7	10 x 7	8 x 8	9 x 9	8 x 8		
3.00	9.4	11 x 8	12 x 8	15 x 7.5	11 x 9		10 x 10	9 x 9		
3.50	10.0	11 x 9	13 x 8	16 x 8	12 x 8	9 x 9	10.5 x 10.5	9.5 x 9.5		
4.00	10.5	12 x 9	14 x 8	17 x 8.5	12 x 9		11 x 11	10 x 10		
4.50	11.0	12 x 9.5	14.5 x 9			10 x 10		10.5 x 10.5		
5.00	12.0	12 x 10	15 x 9	18 x 9	13 x 9		11.5 x 11.5	11 x 11		

Fineness of Karat Gold

Karat	Decimal Equivalent	Percentage
6K	.25	25%
10K	.42	41.7%
12K	.50	50%
14K	.583 (.585)	58.3%
18K	.750	75%
22K	.92	91.6%

COIN AND DISC MOUNTINGS - 14K YELLOW GOLD

COIN DESCRIPTIONS	DIAMETER	THICKNESS	CM-30  Plain 4 Prong	CM-10  Coin Edge Screw Top	CM-20  Handmade Solid Rope - 4 Prong
			THESE COIN FRAMES FOR THE COINS LISTED IN COLUMN UNDER EACH STYLE		
AMERICAN COINS					
Morgan Silver Dollar	38.10mm			CM-10/38 s/s	
U.S. $1 SM	13.0 mm	1.0 mm	CM-30/1	CM-10/1	CM-20/1
U.S. $1 LG	15.0 mm	.70 mm	CM-30/2	CM-10/2	CM-20/2
U.S. $2.5 Ind. Head	18.0 mm	1.10 mm	CM-30/3	CM-10/3	CM-20/3
U.S. $2.5 Liberty	18.0 mm	1.30 mm	CM-30/3	CM-10/4	CM-20/3
U.S. $5 1834-1838	21.5 mm	1.60 mm	CM-30/5	CM-10/5	CM-20/6
U.S. $5 Liberty	21.5 mm	1.70 mm	CM-30/5		CM-20/6
U.S. $5 1905-Up	21.5 mm	1.40 mm	CM-30/5	CM-10/7	CM-20/6
U.S. $10	27.0 mm	2.10 mm	CM-30/8	CM-10/8 s/s	CM-20/8
U.S. $20	33.7 mm	2.50 mm	CM-30/9	CM-10/9 s/s	CM-20/9
U.S. $1/10 oz. Eagle	16.5 mm	1.25 mm	CM-30/22	CM-10/26	CM-20/22
U.S. $1/4 oz. Eagle	22.0 mm	1.80 mm	CM-30/23		CM-20/23
U.S. $1/2 oz. Eagle	27.0 mm	2.20 mm	CM-30/24	CM-10/28	CM-20/24
U.S. $1 oz. Eagle	32.7 mm	2.70 mm	CM-30/25	CM-10/29	CM-20/25
SOUTH AFRICAN					
1/10 oz. Kruggerand	6.5 mm	1.25 mm	CM-30/22		CM-20/22
1/4 oz. Kruggerand	22.0 mm	1.80 mm	CM-30/23		CM-20/23
1/2 oz. Kruggerand	27.0 mm	2.20 mm	CM-30/24		CM-20/24
1 oz. Kruggerand	32.7 mm	2.70 mm	CM-30/25	CM-10/25	CM-20/25
MEXICAN					
Mexican 2 Peso	12.8 mm	1.10 mm	CM-30/10		CM-20/10
Mexican 2 1/2 Peso	15.3 mm	.90 mm	CM-30/11	CM-10/11	CM-20/11
Mexican 5 Peso	19.0 mm	1.10 mm	CM-30/12	CM-10/12	CM-20/12
Mexican 10 Peso	22.5 mm	1.50 mm	CM-30/13		CM-20/13
Mexican 20 Peso	27.5 mm	2.00 mm	CM-30/14		CM-20/14
Mexican 50 Peso	37.0 mm	2.70 mm	CM-30/15		CM-20/15
Mexican 1/4 oz.	23.0 mm	1.70 mm	CM-30/30		CM-20/30
Mexican 1/2 oz.	29.0 mm	2.00 mm	CM-30/31		CM-20/31
Mexican 1 oz.	34.0 mm	2.60 mm	CM-30/32		CM-20/32
AUSTRIAN					
1 Ducat	20.0 mm	.90 mm	CM-30/16		CM-20/16
4 Ducat	39.70 mm	.80 mm	CM-30/17		CM-20/17
ENGLISH					
1 Sovereign	22.0 mm	1.50 mm	CM-30/23		CM-20/18
CANADIAN					
1/10 oz. Maple Leaf	16.0 mm	1.15 mm	CM-30/19	CM-10/19	CM-20/19
1/4 oz. Maple Leaf	19.8 mm	1.70 mm	CM-30/19A		CM-20/19A
1/2 oz. Maple Leaf	25.1 mm	2.25 mm	CM-30/20		CM-20/20
1 oz. Maple Leaf	30.5 mm	2.75 mm	CM-30/21		CM-20/21
CHINESE COINS					
1/10 oz. Panda	17.96 mm	1.02 mm	CM-30/35	CM-10/35	
1/20 oz. Panda	13.94 mm	1.14 mm		CM-10/34	CM-20/34
1 oz. Panda	32.05 mm	2.07 mm			




Rectangle Frame
CM-30

CREDIT SUISSE COINS			
Credit Suisse 1 gr.		CM-10/39	CM-20/39
Credit Suisse 2.5 gr.	CM-30/40	CM-10/40	CM-20/40
Credit Suisse 5 gr.	CM-30/41	CM-10/41	CM-20/41
Credit Suisse 1/4 oz.	CM-10/42	CM-20/42	
Credit Suisse 10 gr.	CM-30/43	CM-10/43	
Credit Suisse 1/2 oz.		CM-10/44	CM-20/44
Credit Suisse 1 oz.	CM-30/45		CM-20/45

Round Wire

Thickness in inches	Thickness in mm	14K Yell, 14K White & 14K Pink			18K Green & 18K White			PLATINUM		STERLING SILVER		Gauge
		dwt/foot	Soft	Hard	dwt/foot	Soft	Hard	dwt/foot	Plat.	dwt/foot	S/S	
.012	.35	.18	14KYS, 14KWS									
.015	.38	.25	14KYS, 14KWS									26
.018	.45	.50	14KYS									25
.020	.51	.52	14KYS, 14KWS	14KYH, 14KWH,14KPH	.75	18KGS, 18KWS	18KGH, 18KWH	.85	PLAT.			24
.025	.64	.85	14KYS, 14KWS	14KYH, 14KWH,14KPH	.95	18KGS, 18KWS	18KGH, 18KWH	1.32	PLAT.	.65	S/S	22
.030	.76	1.15	14KYS, 14KWS	14KYH, 14KWH,14KPH	1.38	18KGS, 18KWS	18KGH, 18KWH	1.84	PLAT.	.90	S/S	20
.035	.89	1.55	14KYS, 14KWS	14KYH, 14KWH,14KPH	1.90	18KGS, 18KWS	18KGH, 18KWH	2.50	PLAT.	1.20	S/S	19
.040	1.02	2.05	14KYS, 14KWS	14KYH, 14KWH,14KPH	2.42	18KGS, 18KWS	18KGH, 18KWH	3.60	PLAT.	1.70	S/S	18
.045	1.14	2.66	14KYS, 14KWS	14KYH, 14KWH	3.25	18KGS, 18KWS	18KGH, 18KWH			2.00	S/S	17
.050	1.27	3.16	14KYS, 14KWS	14KYH, 14KWH	4.20	18KGS, 18KWS	18KGH, 18KWH	5.30	PLAT.	2.80	S/S	16
.060	1.52	4.45	14KYS, 14KWS	14KYH, 14KWH	5.50	18KGS, 18KWS	18KGH, 18KWH	7.90	PLAT.	3.75	S/S	15
.070	1.78	6.35	14KYS, 14KWS	14KYH, 14KWH	7.40	18KGS, 18KWS	18KGH, 18KWH					13
.080	2.03	8.05	14KYS, 14KWS	14KYH, 14KWH	10.40	18KGS, 18KWS	18KGH, 18KWH	13.45	PLAT.	6.25	S/S	12
.100	2.54	13.10	14KYS, 14KWS	14KYH, 14KWH	14.65	18KGS, 18KWS	18KGH, 18KWH			10.30	S/S	10
.120	3.05	19.20	14KYS, 14KWS	14KYH, 14KWH	22.55	18KGS, 18KWS	18KGH, 18KWH			14.50	S/S	8

THICKNESS CHART



.010 .015 .020 .025 .030 .035 .040 .050 .060 .070 .080 .090 .100 .125 .160 .200

Also available: SPRING HARD WIRE 12" Random Lengths

14K Yellow Gold		14K White Gold	18K Green
		Gold	
.020	.033	.025	.025
.025	.035	.030	.030
.027	.040	.035	.035
.030	.050	.040	.040
		.050	

Plate

Thickness in inches	Thickness in mm	14K Yellow & 14K White			18K Yellow & 18K White			PLATINUM		STERLING SILVER		Gauge
		dwt/sq. in.	14KY	14KW	dwt/sq. in.	18KY	18KW	dwt/sq. in.	Plat.	dwt/foot	S/S	
.010	.25	1.40	14KYS, 14KYH									30
.015	.38	2.20	14KYS, 14KYH		2.20	18KYH						26
.020	.50	2.75	14KYS, 14KYH	14KWS, 14KWH	3.27	18KYH					S/S	24
.025	.63	3.45	14KYS, 14KYH	14KWS,14KWH,14KWSH	4.20	18KYH	18KWH	5.60	PLAT.	2.75	S/S	22
.030	.75	4.10	14KYS, 14KYH	14KWS, 14KWH	6.00	18KYH	18KWH			3.21	S/S	20
.035	.87	4.90	14KYS, 14KYH	14KWS, 14KWH	5.90	18KYH	18KWH	8.10	PLAT.			19
.040	1.00	5.50	14KYS, 14KYH	14KWS, 14KWH	6.30	18KYH	18KWH			4.40	S/S	18
.045	1.14	6.20	14KYS, 14KYH	14KWS, 14KWH								17
.050	1.25	6.90	14KYS, 14KYH	14KWS, 14KWH	8.28	18KYH	18KWH	11.25	PLAT.	5.40	S/S	16
.060	1.50	8.00	14KYS, 14KYH	14KWS, 14KWH	9.90	18KYH	18KWH	13.30	PLAT.	7.14	S/S	15
.080	2.00	11.00	14KYS, 14KYH	14KWS, 14KWH	13.32	18KYH	18KWH			8.90	S/S	12

Mill products in sizes not listed above are available by special order in minimum: wire 6 inches, Plate 1 square inch.

Tubing

O.D.	I.D.	14K Yellow & 14K White			18K Yellow & 18K White		PLATINUM		STERLING SILVER	
		dwt/foot	14KY	14KW	dwt/foot	18KY	dwt/foot	Plat.	dwt/foot	S/S
.050	.030	2.30	14KYH	14KWH	2.55	18KYH	3.60	PLAT.	1.60	S/S
.060	.040	2.40	14KYH	14KWH	3.00	18KYH	4.70	PLAT.	2.06	S/S
.080	.050	6.30	14KYH	14KWH	7.50	18KYH	6.95	PLAT.	4.82	S/S
.100	.070	8.40	14KYH	14KWH	9.35	18KYH	12.00	PLAT.	6.68	S/S
.120	.090	10.00	14KYH	14KWH	11.75	18KYH	15.70	PLAT.	8.94	S/S
.160	.120	10.65	14KYH	14KWH	12.85	18KYH			8.92	S/S
.200	.160	14.90	14KYH	14KWH	16.80	18KYH			10.86	S/S
.240	.200	17.15	14KYH	14KWH	20.75	18KYH			14.18	S/S

Half Round Wire

Thickness in inches	Thickness in mm	14K Yellow & 14K White			18K Yellow & 18K White		
		dwt/foot	14KY	14KW	dwt/foot	18KY	18KW
.080 x .040	2 x 1	4.08	14KYS	14KWS	5.20	18KYS	18KWS
.120 x .060	3 x 1.5	9.40	14KYS	14KWS	11.40	18KYS	18KWS
.140 x .060	3.5 x 1.5	10.97	14KYS	14KWS	12.75	18KYS	18KWS
.160 x .080	4 x 2	17.37	14KYS	14KWS	18.67	18KYS	18KWS
.200 x .100	5 x 2.5	26.10	14KYS	14KWS	30.00	18KYS	18KWS

Flat Sizing Stock

Thickness in inches	Thickness in mm	14K Yellow & 14K White			18K Yellow & 18K White			Platinum	
		dwt/foot	14KY	14KW	dwt/foot	18KY	18KW	dwt/foot	Plat.
.080 x .040	2 x 1	5.00	14KYS	14KWS	6.10	18KYS	18KWS	8.70	PLAT.
.120 x .060	3 x 1.5	11.14	14KYS	14KWS	13.12	18KYS	18KWS	19.30	PLAT.
.160 x .060	4 x 1.5	15.66	14KYS	14KWS	18.30	18KYS	18KWS	25.45	PLAT.
.240 x .060	6 x 1.5	23.44	14KYS	14KWS	27.06	18KYS	18KWS		
.240 x .080	6 x 2	31.44	14KYS	14KWS	36.38	18KYS	18KWS	48.25	PLAT.

Channel Wire

Thickness in inches	Thickness in mm	14K Yellow & 14K White			18K Yellow & 18K White			Platinum	
		dwt/foot	14KY	14KW	dwt/foot	18KY	18KWS	dwt/foot	PLAT.
.038	.97	.60	14KYS	14KWS	.80	18KYS	18KWS	1.50	PLAT.
.045	1.14	1.25	14KYS	14KWS	1.50	18KYS	18KWS	1.50	PLAT.
.060	1.52	1.40	14KYS	14KWS	1.60	18KYS	18KWS		
.085	2.16	2.35	14KYS	14KWS	2.65	18KYS			
.105	2.67	2.90	14KYS	14KWS	3.72	18KYS		10.0	PLAT

Square Wire

Thickness in inches	Thickness in mm	14K Yellow & 14K White			18K Yellow & 18K White			PLATINUM		STERLING SILVER	
		dwt/foot	14KY	14KW	dwt/foot	18KY	18KW	dwt/foot	Plat.	dwt/foot	S/S
.025	.64	1.03	14KYS								
.040	1.02	2.55	14KYS	14KWS	3.00	18KYS					
.050	1.22	4.10	14KYS	14KWS	4.80	18KYS	18KWS	6.50	PLAT.		
.060	1.52	5.80	14KYS	14KWS	6.60	18KYS	18KWS	9.70	PLAT.		
.080	2.00	10.60	14KYS	14KWS	12.00	18KYS	18KWS	15.00	PLAT.	8.04	S/S
.100	2.50	16.55	14KYS	14KWS	19.25	18KYS	18KWS	27.10	PLAT.	12.60	S/S
.120	3.00	23.25	14KYS	14KWS	27.15	18KYS	18KWS			18.12	S/S

Mill products in sizes not listed above are available by special order in minimum: wire 6 inches, Plate 1 square inch.

NOTES

Crown Findings Co., Inc. | 44 West 47th St. | New York, NY 10036-2826 | Ph: 212.764.6470 | Fax: 212.764.6493

2025

Crown Findings

Crown Findings Co., Inc. | 44 West 47th St. | New York, NY 10036-2826
Phone: 212-764-6470 | Toll Free: 800-782-2012 | Fax: 212-764-6493

